



Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Tab**

Wire Size: **1021 – 2048 CMA**

Mating Tab Width: **2.8 mm [.11 in]**

Features

Configuration Features

Connection Capacity	Single
Compatible With Wire & Cable Type	Discrete Wire

Contact Features

Quick Disconnect Terminal Type	Tab
Mating Tab Width	2.8 mm [.11 in]
Mating Tab Thickness	.79 mm [.031 in]
Terminal Orientation	Straight
Contact Base Material	Copper Zinc Alloy
Terminal Plating Material	Pre-Tin
Crimp Type	F-Crimp
Barrel Type	Open

Termination Features

Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

Locking Lance Height	1.2 mm [.047 in]
----------------------	------------------



Mating Retention Type

Locking Lance

Dimensions

Product Length

22.5 mm [.886 in]

Compatible Insulation Diameter Range

1.4 – 2.3 mm [.055 – .09 in]

Wire Size

1021 – 2048 CMA

Usage Conditions

Insulation Option

Uninsulated

Operating Temperature Range

-40 – 130 °C [-40 – 266 °F]

Packaging Features

Packaging Quantity

4000

Packaging Method

Reel

Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC

Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2023 (235)
Candidate List Declared Against: JUNE 2023 (235)
Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-1579007-4
EXTRACTION TOOL



TE Part # 4-1579007-3
EXTRACTION TOOL KIT



TE Part # 2305570-1
Strip Terminal Cutter-Side Feed-No Crimp



TE Part # CAT-T4827-CH8172
Timer Connector Housing



TE Part # CAT-M9194-CH8172
MULTILOCK, CONNECTOR HOUSING



TE Part # 2151379-1
OCEAN_2.0_Applicator-S-080F1100V



TE Part # 2151379-2
OCEAN_2.0_Applicator-S-080F1100V



TE Part # 7-2151379-1
OCEAN_2.0_Applicator-S-080F1100V



TE Part # 7-2151379-2
OCEAN_2.0_Applicator-S-080F1100V



TE Part # 7-2151379-7
OCEAN_2.0_SPARE_PART_KIT-080F1100V




TE Part # 2-2151379-1
OCEAN_2.0_Applicator-S-080F1100V




TE Part # 2-2151379-2
OCEAN_2.0_Applicator-S-080F1100V


Also in the Series | FASTIN-FASTON 110




Automotive Housings(6)




Automotive Terminals(6)



Crimp Terminal Housings(34)




Insertion & Extraction Tools(3)



Quick Disconnects(83)

Customers Also Bought



TE Part #964586-1
FF 2P HOUSING TAB POLYESTER
VALOX 357




TE Part #DT04-12PA-LE03
REC, 12P, GRY, N, CAP, FLANGE, A



TE Part #964587-1
Timer Connector Housing



TE Part #216842-2
250 FASTON, TAB, PCB, TPPB



TE Part #1827842-1
0.50 SERIES CONN 40POS PLUG
ASSY TYPE-A



TE Part #928193-1
FF 2.8MM TAB HSG 2P PBT BLACK

TE Part #069223-000
202K153-15-01/86-0

TE Part #2405887-1
0.5 SERIES, TERMINAL, 0.13-0.22MM2,
SN

TE Part #2425549-1
2POS, 21MM, HEADER HSG, ASSY

Documents

Product Drawings

[FF 110 TAB 0.5-1 MM2 .080 F PTP CUZN30](#)

English

CAD Files

[3D PDF](#)

[3D](#)

[Customer View Model](#)

[ENG_CVM_CVM_928930-2_P.2d_dxf.zip](#)

English

[Customer View Model](#)

[ENG_CVM_CVM_928930-2_P.3d_igs.zip](#)

English

[Customer View Model](#)

[ENG_CVM_CVM_928930-2_P.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.



Product Specifications

2,8 mm Flachstecker

English

Application Specification

English

Application Specification

English

Product Environmental Compliance

MD_928930-2_10172017041_dmtec

English

MD_928930-2_10172017041_dmtec

English