

## AMP | Junior Power Timer


TE Internal #: 929504-5

Housing for Female Terminals, Wire-to-Wire, 14 Position, .197 in [5 mm] Centerline, Black, Wire & Cable, Power, Junior Power Timer

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings > Timer Connector Housing



Connector System: Wire-to-Wire

Number of Positions: 14

Connector & Housing Type: Housing for Female Terminals

Centerline (Pitch): 5 mm [.197 in]

Sealable: No

All Timer Connector Housing (585)

## **Features**

## **Product Type Features**

| Mixed & Hybrid Connector          | No                           |
|-----------------------------------|------------------------------|
| Connector Shape                   | Rectangular                  |
| Connector System                  | Wire-to-Wire                 |
| Connector & Housing Type          | Housing for Female Terminals |
| Sealable                          | No                           |
| Connector & Contact Terminates To | Wire & Cable                 |
| Primary Locking Feature           | Integrated in Housing        |
| Configuration Features            |                              |
| Number of Positions               | 14                           |
| Number of Rows                    | 2                            |
| Body Features                     |                              |
| Cable Exit Angle                  | 180°                         |
| Primary Product Color             | Black                        |
| Contact Features                  |                              |

2.8mm

Receptacle

3 mm[.118 in]

Contact Size

Contact Type

Mating Tab Width



## **Mechanical Attachment**

| Terminal Position Assurance | No                         |
|-----------------------------|----------------------------|
| Strain Relief               | Without                    |
| Mating Alignment Type       | Polarized                  |
| Mating Alignment            | With                       |
| Connector Mounting Type     | Cable Mount (Free-Hanging) |

## **Housing Features**

| Housing Material   | PBT           |
|--------------------|---------------|
| Centerline (Pitch) | 5 mm[.197 in] |

#### **Dimensions**

| Connector Height   | 29.5 mm[1.16 in] |
|--------------------|------------------|
| Product Width      | 16 mm[.629 in]   |
| Product Length     | 43.5 mm[1.71 in] |
| Row-to-Row Spacing | 5.6 mm[.22 in]   |

## **Usage Conditions**

| Operating Temperature (Max) | 100 °C[266 °F]             |
|-----------------------------|----------------------------|
| Operating Temperature Range | -40 - 100 °C[-40 - 266 °F] |

## Operation/Application

## **Packaging Features**

| Packaging Quantity | 1000   |
|--------------------|--------|
| Packaging Method   | Carton |

## Other

| Serviceable                          | No |
|--------------------------------------|----|
| Connector Position Assurance Capable | No |

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant                               |
|---|---|
| EU ELV Directive 2000/53/EC                   | Compliant                               |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006        |   |



Current ECHA Candidate List: JUNE 2023

(235)

Candidate List Declared Against: JUNE

2023 (235)

Does not contain REACH SVHC

Halogen Content

Not Low Halogen - contains Br or Cl > 900
ppm.

Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



TE Part # CAT-T4827-CH8172
Timer Connector Housing



TE Part # CAT-LMPH9507 Low & Medium Power Header



TE Part # CAT-T4827-T273
TIMER, RECEPTACLE AND TAB



TE Part # 1-929505-7
TAB HSG .110 (2.8 MM) HSG TAB



TE Part # 1-929505-2 TAB HSG .110 (2.8 MM) HSG TAB



TE Part # 1-929505-3 TAB HSG .110 (2.8 MM) HSG TAB



TE Part # 1-929505-4
TAB HSG .110 (2.8 MM) HSG TAB









## Also in the Series | Junior Power Timer



Automotive Connector Caps & Covers



Automotive Housings(252)



Automotive Terminals(86)



Busbars & Terminals(1)



Connector Seals & Cavity Plugs(10)



Insertion & Extraction Tools(8)



Module Components(6)



Other Automotive Connector Accessories(1)



PCB Headers & Receptacles(1)

# Customers Also Bought







## **Documents**

## **Product Drawings**

2X 7P JUN POW TIMGH

English

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_929504-5\_N.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_929504-5\_N.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_929504-5\_N.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

## Datasheets & Catalog Pages

Timer Interconnection System

English