




Connectors > Automotive Connectors > Automotive Housings > Timer Connector Housing



Connector System: **Wire-to-Wire**

Number of Positions: **20**

Connector & Housing Type: **Housing for Female Terminals**

Centerline (Pitch): **4 mm [.157 in]**

Sealable: **Yes**

[All Timer Connector Housing \(585\)](#)

Features

Product Type Features

Mixed & Hybrid Connector	Yes
Connector Shape	Rectangular
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Female Terminals
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	Integrated in Housing

Configuration Features

Number of Positions	20
Number of Rows	4

Electrical Characteristics

Nominal Voltage Architecture	12 V
------------------------------	------

Body Features

Cable Exit Angle	180°
Primary Product Color	Black

Contact Features

--	--



Contact Size	1.6mm, 2.8mm
Contact Type	Receptacle
Mating Tab Width	1.6 mm, 2.8 mm[.063 in][.11 in]

Mechanical Attachment

Terminal Position Assurance	No
Strain Relief	Without
Mating Alignment Type	Polarization Slot
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PBT GF
Centerline (Pitch)	4 mm[.157 in]

Dimensions

Connector Height	39.3 mm[1.54 in]
Product Width	39.1 mm[1.53 in]
Product Length	49.9 mm[1.96 in]
Row-to-Row Spacing	4 mm[.157 in]

Packaging Features

Packaging Quantity	50
Packaging Method	Bag

Other

Serviceable	No
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC



Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 936780-2
MT-II/JPT SLD 20P CAP HSG



TE Part # CAT-T4827-T273
TIMER, RECEPTACLE AND TAB




TE Part # 936782-2
MT-II/JPT SLD 20P PLUG COVER




TE Part # 2188667-2
MT-II/JPT SLD 20P PLUG COVER M2xx


Also in the Series | Junior Power Timer




Automotive Connector Caps & Covers
(5)




Automotive Housings(252)




Automotive Terminals(86)




Busbars & Terminals(1)




Connector Seals & Cavity Plugs(10)




Insertion & Extraction Tools(8)



Module Components(6)



Other Automotive Connector
Accessories(1)




PCB Headers & Receptacles(1)

Also in the Series | **Micro Timer II**



Automotive Connector Caps & Covers (2)



Automotive Connector Locks & Position Assurance(1)



Automotive Housings(34)



Automotive Terminals(30)



Connector Seals & Cavity Plugs(1)



Insertion & Extraction Tools(4)

Customers Also Bought



TE Part #493487-1
HSG 8 POSN. MICROTIMER REC.



TE Part #178811-1
040/070 HYBRID CAP ASSY 26P



TE Part #216842-4
250 FASTON,TAB,PCB,SPPB



TE Part #2344391-1
43POS,MCON 1.2,REC HSG ASSY,SLD



TE Part #2410149-1
2POS,PCON21,REC OUTER HSG ASSY





TE Part #3-2355506-5
2POS,MCON 1.2,REC HSG ASSY,SLD, COD C



TE Part #2188270-1
020 28P PLUG ASSY



TE Part #7-2355198-5
HVP800 2P HEADER ASSY



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_936777-2_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_936777-2_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_936777-2_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Timer Interconnection System

English

Product Specifications

MTII JPT SLD

English