# ADP-SMAF-SMAF-G - ACTIVE

TE Internal #: ADP-SMAF-SMAF-G In-Series Adapter, Straight, SMA, Jack Side A, SMA, Jack Side B, 1 Position

View on TE.com >



Connectors > Connector Accessories > Connector Savers & Adapters



#### Connector Interface Adapter Type: In-Series Adapter

Body Orientation: Straight

Side A Interface: SMA

Side A Gender: Jack

Side B Interface: SMA

## Features

## **Product Type Features**

Connector Interface Adapter Type	In-Series Adapter
Side A Interface	SMA
Side A Gender	Jack
Side B Interface	SMA

Side B Gender	Jack
Configuration Features	
Number of Positions	1
Electrical Characteristics	
Impedance	50 Ω
Body Features	
Hermetically Sealed	No
Body Plating Material	Gold
Body Material	Brass
Contact Features	
RF Connector Center Contact Material	Beryllium Copper
RF Connector Center Contact Plating Material	Gold
Mechanical Attachment	
RF Contact Captivation Method	Mechanical

## ADP-SMAF-SMAF-G

In-Series Adapter, Straight, SMA, Jack Side A, SMA, Jack Side B, 1 Position



# **Housing Features Body Orientation** Straight **Usage Conditions** Operating Temperature Range -65 – 165 °C[-85 – 329 °F] Packaging Features Packaging Quantity 100 Packaging Method Bag Other **Dielectric Material** PTFE **Product Compliance** For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE

## 2023 (235) Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

#### Solder Process Capability

Halogen Content

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

In-Series Adapter, Straight, SMA, Jack Side A, SMA, Jack Side B, 1 Position



# Compatible PartsImage: Section 2.1 Section 2

# Customers Also Bought



 TE Part #5-103945-1

 8X2 MTE SHRD PIN SR LATCH .100

 TE Part #4-176891-4

 1.25FP,P14,DL,O,N,TR,5.00,6.90

 TE Part #1-6450151-1

 MBXL VERT RCPT 40S



# Documents

Product Drawings

SMA Jack to SMA Jack

English

# Datasheets & Catalog Pages ADAPTER, RP-SMA JACK (FEMALE SOCKET) TO SMA JACK (FEMALE SOCKET), GOLD

English

# ADP-SMAF-SMAF-G

In-Series Adapter, Straight, SMA, Jack Side A, SMA, Jack Side B, 1 Position

