# ADP-SMAF-SMBM-G - ACTIVE

TE Internal #: ADP-SMAF-SMBM-G Between Series Adapter, Straight, SMA, Jack Side A, SMB, Plug Side B, 1 Position View on TE.com >



Connectors > Connector Accessories > Connector Savers & Adapters



### Connector Interface Adapter Type: Between Series Adapter

Body Orientation: Straight

Side A Interface: SMA

Side A Gender: Jack

Side B Interface: SMB

## Features

## **Product Type Features**

Connector Interface Adapter Type	Between Series Adapter
Side A Interface	SMA
Side A Gender	Jack
Side B Interface	SMB

Side B Gender	Plug	
Configuration Features		
Number of Positions	1	
Electrical Characteristics		
Impedance	50 Ω	
Body Features		
Body Plating Material	Nickel	
Body Material	Brass	
Contact Features		
RF Connector Center Contact Material	Beryllium Copper	
RF Connector Center Contact Plating Material	Gold	
Housing Features		
Body Orientation	Straight	
Usage Conditions		

## ADP-SMAF-SMBM-G

Between Series Adapter, Straight, SMA, Jack Side A, SMB, Plug Side B, 1 Position



Operating Temperature Range	-65 – 165 °C[-85 – 329 °F]		
Operation/Application			
Operating Frequency	0 – 4 GHz		
Other			
Dielectric Material	PTFE		
Product Compliance For compliance documentation, visit the product page on TE.com>			
EU RoHS Directive 2011/65/EU	Compliant with Exemptions		
EU ELV Directive 2000/53/EC	Not Yet Reviewed		
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold		
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Not Yet Reviewed		
Halogen Content	Not Yet Reviewed for halogen content		
Solder Process Capability	Not reviewed for solder process capability		

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

## **Compatible Parts**

## ADP-SMAF-SMBM-G

Between Series Adapter, Straight, SMA, Jack Side A, SMB, Plug Side B, 1 Position





## Customers Also Bought



SIVIA	Jack	τO	SIVID	Jack	

## Documents

Product Drawings

SMA Jack to SMB Plug

English

Datasheets & Catalog Pages SMA Jack to SMB Plug Adapter

English