

ADP-SMAM-SMAM ✓ ACTIVE

TE Internal #: ADP-SMAM-SMAM

In-Series Adapter, Straight, SMA, Plug Side A, SMA, Plug Side B, 1
Position

[View on TE.com >](#)



Connectors > Connector Accessories > Connector Savers & Adapters



Connector Interface Adapter Type: **In-Series Adapter**

Body Orientation: **Straight**

Side A Interface: **SMA**

Side A Gender: **Plug**

Side B Interface: **SMA**

Features

Product Type Features

| | |
|----------------------------------|-------------------|
| Connector Interface Adapter Type | In-Series Adapter |
| Side A Interface | SMA |
| Side A Gender | Plug |
| Side B Interface | SMA |
| Side B Gender | Plug |

Configuration Features

| | |
|---------------------|---|
| Number of Positions | 1 |
|---------------------|---|

Electrical Characteristics

| | |
|-----------|-------------|
| Impedance | 50 Ω |
|-----------|-------------|

Body Features

| | |
|-----------------------|--------|
| Hermetically Sealed | No |
| Body Plating Material | Nickel |
| Body Material | Brass |

Contact Features

| | |
|--|-------|
| RF Connector Center Contact Material | Brass |
| RF Connector Center Contact Plating Material | Gold |

Mechanical Attachment

| | |
|-------------------------------|------------|
| RF Contact Captivation Method | Mechanical |
|-------------------------------|------------|



Housing Features

| | |
|------------------|----------|
| Body Orientation | Straight |
|------------------|----------|

Usage Conditions

| | |
|-----------------------------|----------------------------|
| Operating Temperature Range | -65 – 165 °C[-85 – 329 °F] |
|-----------------------------|----------------------------|

Packaging Features

| | |
|--------------------|-----|
| Packaging Quantity | 100 |
| Packaging Method | Bag |

Other

| | |
|---------------------|------|
| Dielectric Material | PTFE |
|---------------------|------|

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|--|
| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
| EU ELV Directive 2000/53/EC | Not Yet Reviewed |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (4% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content | Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free |
| Solder Process Capability | Not reviewed for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling

based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # CONSMSA001-C-G
SMA Jack 50 Ohm PCB Through Hole



TE Part # CONSMSA002-L-G
SMA Jack 50 Ohm PCB Through Hole



TE Part # CONSMSA008-G
SMA Jack 50 Ohm Through Hole PCB



TE Part # CONSMSA011-G
SMA Jack 50 Ohm Cable Crimp

Customers Also Bought



TE Part # 3279370001
TMS-SCE-2-2.0-4



TE Part # 2-1445052-2
MICRO MNL HDR ASSY S/ROW LF



TE Part # 2-2213766-5
AV19 SPL 5A POWER LED RED 12V



TE Part # 2337224-1
TACT ULTRA TB 2.6X1.6X0.55 160GF



TE Part # 1744439-2
EP2.5 Shrd HDR ASSY 2P VERT, GW



TE Part # ADP-SMAF-SMAF
SMA Jack to SMA Jack




TE Part # ADP-SMAF-SMAF-B-G
SMA Jack to SMA Jack Bulkhead



TE Part # L9000176-01
Antenna Vert 1/2 Wave Dipole LTE 2M SMA



TE Part # CONSMSA010
SMA Jack to SMA Plug RA



TE Part # 839686-E
IDCCS SRC 1,27 6 * SFX APU 160 PVC

Documents

[Product Drawings](#)
[SMA Plug to SMA Plug](#)
English



[Datasheets & Catalog Pages](#)

[ADAPTER, SMA PLUG \(MALE PIN\) TO SMA PLUG \(MALE PIN\), GOLD](#)

English