

ANT-418-PW-LP ✓ ACTIVE

TE Internal #: ANT-418-PW-LP

Whip Antenna, Single Band, Cat-M/NB-IoT / Cellular, External Mount, Stud/Screw/Lug Mount, Screw-Mount, Omnidirectional, Single Port, Gain < 0 dBi

[View on TE.com >](#)



Antennas



Wireless Application: **Cat-M/NB-IoT, Cellular**

Mounting Location: **External**

Mounting Type: **Stud/Screw/Lug Mount**

Antenna Termination: **Screw-Mount**

Antenna Type: **Whip**

Features

Product Type Features

| | |
|---------------------|-------------|
| Antenna Termination | Screw-Mount |
|---------------------|-------------|

Configuration Features

| | |
|--------------------|-------------|
| Antenna Style | Whip |
| Mounting Location | External |
| Antenna Type | Whip |
| Band Type | Single Band |
| Port Configuration | Single Port |

Electrical Characteristics

| | |
|------------|-------------|
| VSWR (Max) | <1.9:1 |
| Impedance | 50 Ω |

Signal Characteristics

| | |
|-------------------------|-----------|
| Frequency Band | 418 MHz |
| Nominal Frequency Range | 410 – 470 |
| Peak Gain | < 0 dBi |

Body Features

| | |
|----------------|-------------------|
| Product Weight | 7.17 g[.25291 oz] |
|----------------|-------------------|

Mechanical Attachment

| | |
|--|--|
| | |
|--|--|



| | |
|---------------|----------------------|
| Polarization | Linear |
| Mounting Type | Stud/Screw/Lug Mount |

Dimensions

| | |
|----------------|------------------|
| Product Width | 10.4 mm[.41 in] |
| Product Length | 50.5 mm[1.99 in] |
| Product Height | 0 mm[0 in] |

Operation/Application

| | |
|---------------------|-----------------|
| Antenna Environment | Outdoor |
| Directionality | Omnidirectional |

Industry Standards

| | |
|----------------------|------------------------|
| Wireless Application | Cat-M/NB-IoT, Cellular |
| Primary Application | Cat-M/NB-IoT, Cellular |

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)


| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
| EU ELV Directive 2000/53/EC | Not Yet Reviewed |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Not Yet Reviewed |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not reviewed for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the

product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # ANT-418-HESM
Antenna 1/4 Wave Coil 418MHz SMT



TE Part # ANT-418-HETH
Antenna 1/4 Wave Coil 418MHz THM



TE Part # ANT-418-SP
Antenna SP PCB RPC 418MHz SMT



TE Part # ANT-418-USP-T
Antenna uSP PCB RPC 418MHz SMT T&R

Customers Also Bought



TE Part #4-1622820-1
3520 390R 5%



TE Part #60799-2
SHUR PLUG 180 RECEPTACLE 18-14 AWG BR



TE Part #3-1614881-6
CPF 0603 10R 0.1% 25PPM 5K RL



TE Part #3-641435-2
02P MTA156 CONN ASSY ORNG



TE Part #LICAL-DEC-MS001
Decoder MS IC Chip RC Protocol T&R



TE Part #OTX-418-HH-KF1-MS
Remote MS 418MHz OOK AM 1Btn KF TX FCC



TE Part #OTX-418-HH-KF2-MS
Remote MS 418MHz OOK AM 2Btn KF TX FCC



TE Part #RXM-418-LR
Module LR 418MHz AM OOK RX RCVR



TE Part #RXM-433-LR
Module LR 433MHz AM OOK RX RCVR



TE Part #TXM-418-LR
Module LR 418MHz AM OOK TX XMTR

Documents

Datasheets & Catalog Pages

[ANT-418-PW-LP](#)

English

