# ANT-433-MHW-RPS-S <br/> ACTIVE

TE Internal #: ANT-433-MHW-RPS-S Module Antenna, Single Band, LoRaWAN / LPWAN, Remote Mount, Adhesive, Solder, Omnidirectional, Single Port, Gain 0 < 3 dBi

#### View on TE.com >



→ *TE* 

#### Wireless Application: LoRaWAN, LPWAN

Mounting Location: Remote

Mounting Type: Adhesive

Antenna Termination: Solder

Antenna Type: Module

## Features

### Product Type Features

Antenna Termination

## **Configuration Features**

Antenna Style

**TE** 

Whip

Solder

| Mounting Location          | Remote             |
|----------------------------|--------------------|
| Antenna Type               | Module             |
| Band Type                  | Single Band        |
| Port Configuration         | Single Port        |
| Electrical Characteristics |                    |
| VSWR (Max)                 | <1.9:1             |
| Impedance                  | 50 Ω               |
| Signal Characteristics     |                    |
| Gain (Max)                 | 1.2 dB             |
| Frequency Band             | 433 MHz            |
| Nominal Frequency Range    | 410 – 470          |
| Peak Gain                  | 0 < 3 dBi          |
| Body Features              |                    |
| Product Weight             | 40.1 g[1.41446 oz] |
|                            |                    |

#### ANT-433-MHW-RPS-S

Module Antenna, Single Band, LoRaWAN / LPWAN, Remote Mount, Adhesive, Solder, Omnidirectional, Single Port, Gain 0 < 3 dBi



#### **Mechanical Attachment**

| Polarization          | Linear          |
|-----------------------|-----------------|
| Mounting Type         | Adhesive        |
| Dimensions            |                 |
| Cable Length          | 2 m[6.56 ft]    |
| Product Width         | 15.5 mm[.61 in] |
| Product Length        | 145 mm[5.71 in] |
| Product Height        | 9.7 mm[.38 in]  |
| Operation/Application |                 |
| Directionality        | Omnidirectional |
| Industry Standards    |                 |
| Wireless Application  | LoRaWAN, LPWAN  |
| Primary Application   | LoRaWAN, LPWAN  |

### Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

Compliant with Exemptions

| EU ELV Directive 2000/53/EC                   | Not Yet Reviewed  |
|---|---|
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold                                |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2023<br>(235)<br>Not Yet Reviewed |
| Halogen Content                               | Not Yet Reviewed for halogen content                                |
| Solder Process Capability                     | Not reviewed for solder process capability                          |

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the

#### ANT-433-MHW-RPS-S

Module Antenna, Single Band, LoRaWAN / LPWAN, Remote Mount, Adhesive, Solder, Omnidirectional, Single Port, Gain 0 < 3 dBi




product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

# **Compatible Parts**



# Customers Also Bought







## Documents

Product Drawings Antenna 433MHz Dipole MHW Short RPS

English

### ANT-433-MHW-RPS-S

Module Antenna, Single Band, LoRaWAN / LPWAN, Remote Mount, Adhesive, Solder, Omnidirectional, Single Port, Gain 0 < 3 dBi



Datasheets & Catalog Pages ANT-433-MHW-xxx-x

English