ANT-868-CW-RCS-SMA <

TE Internal #: ANT-868-CW-RCS-SMA Whip Antenna, Single Band, LoRaWAN / LPWAN, External Mount, Connector, SMA, Omnidirectional, Single Port, Gain 3 < 6 dBi View on TE.com >



Antennas



Wireless Application: LoRaWAN, LPWAN, Wi-Fi

Mounting Location: External

Mounting Type: Connector

Antenna Termination: SMA

Antenna Type: Whip

Features

Product Type Features

Antenna Termination	SMA
Configuration Features	
Antenna Style	Whip
Mounting Location	External

Mounting Location	External
Antenna Type	Whip
Band Type	Single Band
Port Configuration	Single Port
Electrical Characteristics	
VSWR (Max)	<2.1:1
Impedance	50 Ω
Signal Characteristics	
Gain (Max)	3.6 dB
Frequency Band	868 MHz
Nominal Frequency Range	862 – 870
Peak Gain	3 < 6 dBi
Body Features	
Product Weight	8.55 g[.30158 oz]
Mechanical Attachment	

C For support call+1 800 522 6752

09/28/2023 08:03AM | Page 1

ANT-868-CW-RCS-SMA

Whip Antenna, Single Band, LoRaWAN / LPWAN, External Mount, Connector, SMA, Omnidirectional, Single Port, Gain 3 < 6 dBi



Polarization	Linear	
Mounting Type	Connector	
Dimensions		
Product Width	16.6 mm[.65 in]	
Product Length	53.5 mm[2.11 in]	
Product Height	0 mm[0 in]	
Operation/Application		
Antenna Environment	Outdoor	
Directionality	Omnidirectional	
Industry Standards		
Wireless Application	LoRaWAN, LPWAN, Wi-Fi	
Primary Application	LoRaWAN, LPWAN	
Product Compliance		
For compliance documentation, visit the product page on TE.com>		

EU RoHS Directive 2011/65/EU

EU ELV Directive 2000/53/EC

Compliant with Exemptions

Not Yet Reviewed

China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Not reviewed for solder process capability

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the

ANT-868-CW-RCS-SMA

Whip Antenna, Single Band, LoRaWAN / LPWAN, External Mount, Connector, SMA, Omnidirectional, Single Port, Gain 3 < 6 dBi



product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



Customers Also Bought





Documents

Product Drawings

Antenna 1/4 Wave R-Angle 868MHz SMA

English

Datasheets & Catalog Pages ANT-868-CW-RCS-xxx

English