# 

TE Internal #: ANT-868-JJB-ST Dome/Puck Antenna, Single Band, LoRaWAN / LPWAN, Internal /Embedded Mount, Through-Hole/Tab Mount, Solder, Omnidirectional, Single Port, Gain < 0 dBi

### View on TE.com >

#### Antennas

Wireless Application: LoRaWAN, LPWAN, Wi-Fi

Mounting Location: Internal/Embedded

Mounting Type: Through-Hole/Tab Mount

Antenna Termination: Solder

Antenna Type: Dome/Puck

## Features

## Product Type Features

Antenna Termination
---------------------

## **Configuration Features**

Antenna Style

**E** TE connectivity

Dome

Solder

Mounting Location	Internal/Embedded
Antenna Type	Dome/Puck
Band Type	Single Band
Port Configuration	Single Port
Electrical Characteristics	
VSWR (Max)	<2.1:1
Impedance	50 Ω
Signal Characteristics	
Frequency Band	868 MHz
Nominal Frequency Range	862 – 870
Peak Gain	< 0 dBi
Body Features	
Product Weight	.46 g[.01622 oz]
Mechanical Attachment	

**C** For support call+1 800 522 6752

## ANT-868-JJB-ST

Dome/Puck Antenna, Single Band, LoRaWAN / LPWAN, Internal/Embedded Mount, Through-Hole/Tab Mount, Solder, Omnidirectional, Single Port, Gain < 0 dBi



Polarization	Linear
Mounting Type	Through-Hole/Tab Mount
Dimensions	
Dimensions	
Product Width	7 mm[.28 in]
Product Length	17.6 mm[.69 in]
Product Height	0 mm[0 in]
Operation/Application	
Directionality	Omnidirectional
Industry Standards	
Wireless Application	LoRaWAN, LPWAN, Wi-Fi
Primary Application	LoRaWAN, LPWAN
Product Compliance	

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

EU ELV Directive 2000/53/EC

China RoHS 2 Directive MIIT Order No 32, 2016

Compliant

Not Yet Reviewed

No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

### Solder Process Capability

Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling

## ANT-868-JJB-ST

Dome/Puck Antenna, Single Band, LoRaWAN / LPWAN, Internal/Embedded Mount, Through-Hole/Tab Mount, Solder, Omnidirectional, Single Port, Gain < 0 dBi



based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

# **Compatible Parts**





# Customers Also Bought



## ANT-868-JJB-ST

Dome/Puck Antenna, Single Band, LoRaWAN / LPWAN, Internal/Embedded Mount, Through-Hole/Tab Mount, Solder, Omnidirectional, Single Port, Gain < 0 dBi





## Documents

Product Drawings Antenna Mini Straight 868MHz THM

English

Datasheets & Catalog Pages ANT-868-JJB-cc

English