ANT-DB1-HDP-RPS <

TE Internal #: ANT-DB1-HDP-RPS Module Antenna, Multi Band, Cellular / LTE / 5G, External Mount, Adhesive, RP-SMA, Omnidirectional, Single Port, Gain 0 < 3 dBi View on TE.com >



Antennas



Wireless Application: 5G, Cat-M/NB-IoT, Cellular, LTE

Mounting Location: External

Mounting Type: Adhesive

Antenna Termination: **RP-SMA**

Antenna Type: Module

Features

Product Type Features

Antenna Termination

RP-SMA

Configuration Features

Mounting Location

Whip

Extornal

Mounting Location	External
Antenna Type	Module
Band Type	Multi Band
Port Configuration	Single Port
Electrical Characteristics	
VSWR (Max)	<1.5:1
Impedance	50 Ω
Signal Characteristics	
Frequency Band	824 – 960 MHz
Nominal Frequency Range	698 – 2700
Peak Gain	0 < 3 dBi
Mechanical Attachment	
Polarization	Linear
Mounting Type	Adhesive
Dimensions	

C For support call+1 800 522 6752

09/28/2023 08:05AM | Page 1

ANT-DB1-HDP-RPS

Module Antenna, Multi Band, Cellular / LTE / 5G, External Mount, Adhesive, RP-SMA, Omnidirectional, Single Port, Gain 0 < 3 dBi



Cable Length	3 m[9.84 ft]
Product Width	20 mm[.79 in]
Product Length	132.3 mm[5.21 in]
Product Height	12.4 mm[.49 in]
Operation/Application	
Directionality	Omnidirectional
Industry Standards	
Wireless Application	5G, Cat-M/NB-IoT, Cellular, LTE
Primary Application	5G, Cellular, LTE
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Not Yet Reviewed

Halogen Content

Not Yet Reviewed for halogen content

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts

ANT-DB1-HDP-RPS

Module Antenna, Multi Band, Cellular / LTE / 5G, External Mount, Adhesive, RP-SMA, Omnidirectional, Single Port, Gain 0 < 3 dBi





Documents

Datasheets & Catalog Pages ANT-DB1-HDP-xxx

English