ANT-DB1-WRT-RPS <

TE Internal #: ANT-DB1-WRT-RPS Dome/Puck Antenna, Triple Band, Wi-Fi, External Mount, Panel, Ntype, Omnidirectional, Single Port, Gain > 6 dBi

View on TE.com >

Antennas



Wireless Application: Wi-Fi Mounting Location: External Mounting Type: Panel Antenna Termination: N-type Antenna Type: Dome/Puck

Features

Product Type Features

Antenna Termination	N-type
Configuration Features	
Antenna Style	Dome

Mounting Location	External
Antenna Type	Dome/Puck
Band Type	Triple Band
Port Configuration	Single Port
Electrical Characteristics	
VSWR (Max)	<2.1:1
Impedance	50 Ω
Signal Characteristics	
Gain (Max)	5 dB
Frequency Band	2400 – 2485 MHz
Nominal Frequency Range	2400 – 7125
Peak Gain	> 6 dBi
Mechanical Attachment	
Polarization	Linear
Mounting Type	Panel

ANT-DB1-WRT-RPS

Dome/Puck Antenna, Triple Band, Wi-Fi, External Mount, Panel, N-type, Omnidirectional, Single Port, Gain > 6 dBi



Dimensions

Cable Length	.21 m[.71 ft]
Product Width	19 mm[.75 in]
Product Length	10 mm[.39 in]
Product Height	0 mm[0 in]
Operation/Application	
Antenna Environment	Outdoor
Directionality	Omnidirectional
Industry Standards	
Wireless Application	Wi-Fi
Primary Application	Wi-Fi
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2023 (235) Not Yet Reviewed

Not Yet Reviewed for halogen content

Not reviewed for solder process capability

Halogen Content

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

ANT-DB1-WRT-RPS

Dome/Puck Antenna, Triple Band, Wi-Fi, External Mount, Panel, N-type, Omnidirectional, Single Port, Gain > 6 dBi



Compatible Parts



TE Part # CONREVSMA001-G RP-SMA Jack 50 Ohm PCB Through Hole



TE Part # CONREVSMA002-SMD-G RP-SMA RA Jack 50 Ohm PCB Surface Mount




TE Part # L9000251-01 RP-SMA Jack 50 Ohm .062 PCB Edge Mount



TE Part # L9000254-01 RP-SMA Jack 50 Ohm .031 PCB Edge Mount

Customers Also Bought












 TE Part #1-2213766-5
 TE Part #1006015-1
 TE Part #1-1904045-1
 TE Part #ANT-5GW-SPS1-1

 AV19 SPM 5A POWER LED GREEN 24V
 LDTC-H,REDUCED HEIGHT
 V23333Z0001A007-EV-100
 Antenna 5G LTE IP67 Puck RG174 1M SMA



Documents

Product Drawings

Antenna Dome WiFi6 2.4/5.8GHz RG174 RPS

English

Datasheets & Catalog Pages External Panel-Mount WiFi/WLAN Antenna

English

ANT-DB1-WRT-RPS

Dome/Puck Antenna, Triple Band, Wi-Fi, External Mount, Panel, N-type, Omnidirectional, Single Port, Gain > 6 dBi

