# ANT-GNCP-CA188L165 ACTIVE

TE Internal #: ANT-GNCP-CA188L165

Patch Antenna, Multi Band, GNSS / GPS, Internal/Embedded

Mount, Surface Mount, MHF1 / MHF / UMCC, Directional, Single

Port, Gain > 6 dBi

View on TE.com >



#### Antennas



Wireless Application: GNSS, GPS

Mounting Location: Internal/Embedded

Mounting Type: Surface Mount

Antenna Termination: MHF, MHF1, U.FL, UMCC

Antenna Type: Patch

### **Features**

#### **Product Type Features**

Antenna Termination	MHF, MHF1, U.FL, UMCC
Configuration Features	
Antenna Style	Patch
Mounting Location	Internal/Embedded
Antenna Type	Patch
Band Type	Multi Band
Port Configuration	Single Port
Electrical Characteristics	
VSWR (Max)	<1.1:1
Impedance	50 Ω
Signal Characteristics	

Gain (Max)	10.6 dB
Frequency Band	1559 – 1563 MHz
Nominal Frequency Range	1164 – 1610
Peak Gain	> 6 dBi

### **Body Features**

Product Weight	7.4 g[.26102 oz]



#### Mechanical Attachment

Polarization	RHCP
Mounting Type	Surface Mount
Dimensions	
Cable Length	.06 m[.21 ft]
Product Width	18 mm[.71 in]
Product Length	18 mm[.71 in]
Product Height	7.1 mm[.28 in]
Operation/Application	
Directionality	Directional
Industry Standards	
Wireless Application	GNSS, GPS
Primary Application	GNSS, GPS

#### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Not Yet Reviewed
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the



product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

## Compatible Parts









TE Part # CONUFL001-SMD Conn UFL MHF Straight PCB Mount Jack



## Customers Also Bought



TE Part #DT06-08SA-CE13 PLG, 8P, GRY, E, SEAL RET, XCAP, A




TE Part #8-1393239-7 RT314F12



TE Part #6-104071-0 08 SYSTEM 50 HDR SRST SHRD SN










TE Part #ANT-GNCP-C257L160 Antenna GNSS L1 25x25 LNA 1.13 UFL



TE Part #ANT-LTE-RPC Antenna Adh PCB RPC LTE 1.13 100





## **Documents**

**Product Drawings** Antenna GNSS L1 18x18 LNA 1.13 UFL

English

Patch Antenna, Multi Band, GNSS / GPS, Internal/Embedded Mount, Surface Mount, MHF1 / MHF / UMCC, Directional, Single Port, Gain > 6 dBi



Datasheets & Catalog Pages
Active Ceramic Patch GNSS Antenna

English