ANT-GNCP-TH258L15 <

TE Internal #: ANT-GNCP-TH258L15 Patch Antenna, Multi Band, GPS / GNSS, Internal/Embedded Mount, Through-Hole/Tab Mount, Solder, Directional, Single Port, Gain 3 < 6 dBi

View on TE.com >

Antennas



Wireless Application: GNSS, GPS Mounting Location: Internal/Embedded Mounting Type: Through-Hole/Tab Mount Antenna Termination: Solder

Antenna Type: Patch

Features

Product Type Features

Antenna Termination	Solder			
Configuration Features				
Antenna Style	Patch			



Mounting Location	Internal/Embedded		
Antenna Type	Patch		
Band Type	Multi Band		
Port Configuration	Single Port		
Electrical Characteristics			
VSWR (Max)	<6.4:1		
Impedance	50 Ω		
Signal Characteristics			
Gain (Max)	1 dB		
Frequency Band	1170 – 1183 MHz		
Nominal Frequency Range	1164 – 1610		
Peak Gain	3 < 6 dBi		
Body Features			
Product Weight	17 g[.59964 oz]		

ANT-GNCP-TH258L15

Patch Antenna, Multi Band, GPS / GNSS, Internal/Embedded Mount, Through-Hole /Tab Mount, Solder, Directional, Single Port, Gain 3 < 6 dBi



Mechanical Attachment

Polarization	RHCP
Mounting Type	Through-Hole/Tab Mount
Dimensions	
Product Width	25 mm[.98 in]
Product Length	25 mm[.98 in]
Product Height	8 mm[.31 in]
Operation/Application	
Directionality	Directional
Industry Standards	
Wireless Application	GNSS, GPS
Primary Application	GNSS, GPS
Product Compliance	

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

EU ELV Directive 2000/53/EC

Solder Process Capability

Compliant with Exemptions

Not Yet Reviewed

China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the

ANT-GNCP-TH258L15

Patch Antenna, Multi Band, GPS / GNSS, Internal/Embedded Mount, Through-Hole /Tab Mount, Solder, Directional, Single Port, Gain 3 < 6 dBi



product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



Customers Also Bought







Documents

Product Drawings Antenna GNSS L1L5 25x25 1.13 UFL

English

ANT-GNCP-TH258L15

Patch Antenna, Multi Band, GPS / GNSS, Internal/Embedded Mount, Through-Hole /Tab Mount, Solder, Directional, Single Port, Gain 3 < 6 dBi



Datasheets & Catalog Pages L1/L5 Ceramic Patch GNSS Antenna

English