ANT-GNSSCP-TH25L1 <

TE Internal #: ANT-GNSSCP-TH25L1 Patch Antenna, Multi Band, GNSS / GPS, Internal/Embedded Mount, Through-Hole/Tab Mount, Solder, Directional, Single Port, Gain 3 < 6 dBi

View on TE.com >

Antennas



Wireless Application: GNSS, GPS Mounting Location: Internal/Embedded Mounting Type: Through-Hole/Tab Mount Antenna Termination: Solder

Antenna Type: Patch

Features

Product Type Features

Antenna Termination	Solder	
Configuration Features		
Antenna Style	Patch	



Mounting Location	Internal/Embedded
Antenna Type	Patch
Band Type	Multi Band
Port Configuration	Single Port
Electrical Characteristics	
VSWR (Max)	<5.6:1
Impedance	50 Ω
Signal Characteristics	
Gain (Max)	3.5 dB
Frequency Band	1567.24 – 1583.6 MHz
Nominal Frequency Range	1164 – 1610
Peak Gain	3 < 6 dBi
Body Features	
Product Weight	9.2 g[.32451 oz]

ANT-GNSSCP-TH25L1

Patch Antenna, Multi Band, GNSS / GPS, Internal/Embedded Mount, Through-Hole /Tab Mount, Solder, Directional, Single Port, Gain 3 < 6 dBi



Mechanical Attachment

Polarization	RHCP
Mounting Type	Through-Hole/Tab Mount
Dimensions	
Product Width	25 mm[.98 in]
Product Length	25 mm[.98 in]
Product Height	4 mm[.16 in]
Operation/Application	
Directionality	Directional
Industry Standards	
Wireless Application	GNSS, GPS
Primary Application	GNSS, GPS
Product Compliance	

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

EU ELV Directive 2000/53/EC

Compliant with Exemptions

Not Yet Reviewed

(235) Cand 2023	icted Materials Above Threshold
Article Safe Do not eat handling. F	ent ECHA Candidate List: JUNE 2023 lidate List Declared Against: JUNE (235) C > Threshold: .26% in Component Part) fe Usage Statements: t, drink or smoke when using this product. Wash thoroughly after Recycle if possible and dispose of the article by following all applicable antal regulations relevant to your geographic location.
	Halogen - Br, Cl, F, I < 900 ppm per ogenous material. Also BFR/CFR/PVC

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent to these limits for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits

ANT-GNSSCP-TH25L1

Patch Antenna, Multi Band, GNSS / GPS, Internal/Embedded Mount, Through-Hole /Tab Mount, Solder, Directional, Single Port, Gain 3 < 6 dBi




as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



Customers Also Bought



Documents

Product Drawings Antenna GNSS L1 25x25 THM

English

Datasheets & Catalog Pages Ceramic Patch GNSS Antenna

English