# 



TE Internal #: BEA144N00000200000

Standard Circular Connectors, Cable-to-Panel, Power & Signal, Panel Mount, Electrodeposited Nickel, Zinc Alloy, PBT GF, Size 23,

Shielded, Receptacle

View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors











Connector System: Cable-to-Panel

Sealable: No

Circuit Application: Power & Signal

Connector Mounting Type: Panel Mount Shell Plating Material: Electrodeposited Nickel

## **Features**

## Product Type Features

Product Type	Connector Assembly
Connector System	Cable-to-Panel
Sealable	No
Circular Connector Type	Receptacle
Shell Type	Metal
Electrical Characteristics	

#### **Electrical Characteristics**

Operating Voltage	630 VAC

### **Body Features**

Environmental Protection	IP67
Shell Plating Material	Electrodeposited Nickel
Shell Base Material	Zinc Alloy
Circular Connector Insulation Material Type	PBT GF

#### **Mechanical Attachment**

Mating Retention Type	Speedtec (Triple Start Threaded)
-----------------------	----------------------------------



Panel Mount Feature Type	Flange with Mounting Holes
Connector Mounting Type	Panel Mount
Housing Features	
Circular Connector Shell Size	23
Alignment Keyed	0°
Usage Conditions	
Operating Temperature Range	-20 - 130 °C[-4 - 266 °F]
Operation/Application	
Operation/Application  Durability Rating	500 Cycles
	500 Cycles Power & Signal
Durability Rating	
Durability Rating  Circuit Application	Power & Signal
Durability Rating  Circuit Application  Shielded	Power & Signal

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) SVHC > Threshold: Pb (2.8% in Component) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous

Standard Circular Connectors, Cable-to-Panel, Power & Signal, Panel Mount, Electrodeposited Nickel, Zinc Alloy, PBT GF, Size 23, Shielded, Receptacle



materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts



TE Part # BSA082N00420235000 923 PLUG



TE Part # C0-0003-000-000
POSITIONING INSERT FOR 1 MM
CONTACTS



TE Part # C0-0004-000-000
POSITIONING INSERT FOR 2 MM
CONTACTS

TE Part # C0-0101-000-000
CRIMPING TOOL SMALL WITH
POSITIONER



TE Part # C0-0235-000-000
DIGITAL CRIMPING TOOL, SMALL





TE Part # C0-0252-000-000
POSITIONING INSERT FOR 1 MM
CONTACTS

# Customers Also Bought



TE Part #1-487545-7 020 HOUSING FFC RCPT 050CL SR



TE Part #1-487547-1
FFC,RCPT CONTACT,.050" CNTRLIN



TE Part #T4111012081-000 M12 M, 8P GOLD A\_CODE S SHIELDED PG9



TE Part #1734098-4 Champ050 40p A/P RCPT 25CL PB



TE Part #60-0302-011-000 CONTACT SOCKET 2 MM



TE Part #61-0216-011-000 CONTACT PIN 2 MM





Standard Circular Connectors, Cable-to-Panel, Power & Signal, Panel Mount, Electrodeposited Nickel, Zinc Alloy, PBT GF, Size 23, Shielded, Receptacle





TE Part #AKA020M04100200000
623 EXTENSION, SPEEDTEC-READY

#### **Documents**

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_BEA144N00000200000\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_BEA144N00000200000\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_BEA144N00000200000\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

BEA144N00000200000

English

fuer Datenblaetter, die online konfigurierbar sind

German