# BKUA186NN0048020000 - ACTIVE

TE Internal #: BKA186N00480200000 Standard Circular Connectors, Cable-to-Cable, Power & Signal, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PBT GF, Size 23

#### View on TE.com >

Connectors > Circular Connectors > Standard Circular Connectors



Sealable: No

Circuit Application: Power & Signal

Connector Mounting Type: Cable Mount (Free-Hanging)

Shell Plating Material: Electrodeposited Nickel

# Features

### Product Type Features



Product Type	Connector Assembly	
Connector System	Cable-to-Cable	
Sealable	No	
Shell Type	Metal	
Electrical Characteristics		
Operating Voltage	630 VAC	
Body Features		
Environmental Protection	IP67	
Shell Plating Material	Electrodeposited Nickel	
Shell Base Material	Zinc Alloy	
Circular Connector Insulation Material Type	PBT GF	
Mechanical Attachment		
Mating Retention Type	Speedtec (Triple Start Threaded)	
Connector Mounting Type	Cable Mount (Free-Hanging)	

### BKUA186NN00480200000

Standard Circular Connectors, Cable-to-Cable, Power & Signal, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PBT GF, Size 23



### **Housing Features**

Circular Connector Shell Size	23	
Alignment Keyed	0°	
Dimensions		
Cable Diameter Range	7.5 – 12 mm[.29 – .47 in]	
Usage Conditions		
Operating Temperature Range	-20 – 130 °C[-4 – 266 °F]	
Operation/Application		
Durability Rating	500 Cycles	
Circuit Application	Power & Signal	
Shielded	Yes	
Industry Standards		
UL Flammability Rating	UL 94V-0	
Approved Standards	UL	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions	
EU ELV Directive 2000/53/EC	Compliant with Exemptions	
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Pb (3.5% in COMPONENT PART) Aticle Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	
Halogen Content	Not Yet Reviewed for halogen content	
Solder Process Capability	Not reviewed for solder process capability	
Product Compliance Disclaimer This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products		

will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part

### BKUA186NN00480200000

Standard Circular Connectors, Cable-to-Cable, Power & Signal, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PBT GF, Size 23




numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**

E TE	ETE	ETE	ETE
TE Part # BDA107N00000150000 923 BULKHEAD CONNECTOR	TE Part # BSA085N00480235000 923 PLUG	TE Part # C0-0004-000-000 POSITIONING INSERT FOR 2 MM CONTACTS	TE Part # C0-0009-000-000 POSITIONING INSERT FOR 2 MM CONTACTS
TE Part # C0-0201-000-000	TE Part # C0-0236-000-000		

CRIMPING TOOL MID-SIZE DIGITAL CRIMPING TOOL, MID SIZE

# Customers Also Bought



### BKUA186NN00480200000

Standard Circular Connectors, Cable-to-Cable, Power & Signal, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PBT GF, Size 23





### Documents

## **Product Drawings** 923 EXTENSION, SPEEDTEC-READY

English

#### **CAD** Files

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_BKA186N00480200000\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_BKA186N00480200000\_A.3d\_igs.zip

English

Customer View Model

### ENG\_CVM\_CVM\_BKA186N00480200000\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

### Datasheets & Catalog Pages BKA186N00480200000

English

fuer Datenblaetter, die online konfigurierbar sind

German

### **Product Specifications**

German