# BKUA199NN00420202000 - ACTIVE

TE Internal #: BKA199N00420202000 Standard Circular Connectors, Cable-to-Cable, Power, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PBT+PA, Size 23, Shielded, Metal

#### View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors



Connector System: Cable-to-Cable

Sealable: No

Circuit Application: Power

Connector Mounting Type: Cable Mount (Free-Hanging)

Shell Plating Material: Electrodeposited Nickel

# Features

#### Product Type Features

Product Type	Connector Assembly	
Connector System	Cable-to-Cable	
Sealable	No	
Shell Type	Metal	
Electrical Characteristics		
Operating Voltage	250 VAC, 630 VAC	
Body Features		
Environmental Protection	IP67	
Shell Plating Material	Electrodeposited Nickel	
Shell Base Material	Zinc Alloy	
Circular Connector Insulation Material Type	PBT+PA	
Circular Connector Insulation Material Type Mechanical Attachment	PBT+PA	
	PBT+PA Speedtec (Triple Start Threaded)	

#### BKUA199NN00420202000

Standard Circular Connectors, Cable-to-Cable, Power, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PBT+PA, Size 23, Shielded, Metal



#### **Housing Features**

Circular Connector Shell Size	23	
Dimensions		
Cable Diameter Range	9.5 – 14.5 mm[.37 – .57 in]	
Usage Conditions		
Operating Temperature Range	-20 – 130 °C[-4 – 266 °F]	
Operation/Application		
Durability Rating	500 Cycles	
Circuit Application	Power	
Shielded	Yes	
Industry Standards		
UL Flammability Rating	UL 94V-0	
Approved Standards	UL	

## Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

EU ELV Directive 2000/53/EC	Compliant with Exemptions	
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Pb (3.5% in Component) Aticle Safe Usage Statements Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	
Halogen Content	Not Yet Reviewed for halogen content	
Solder Process Capability	Not reviewed for solder process capability	

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent to these limits for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits

#### BKUA199NN00420202000

Standard Circular Connectors, Cable-to-Cable, Power, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PBT+PA, Size 23, Shielded, Metal



as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

# **Compatible Parts**



Customers Also Bought

TE Part # C0-0252-000-000

CONTACTS

POSITIONING INSERT FOR 1 MM

TE Part # C0-0236-000-000

DIGITAL CRIMPING TOOL, MID SIZE

TE Part #EKB002N0043L003000 615 LOCKTEC EXTENSION	TE Part #PSA001N00590001000 923 SINGLETEC PLUG	TE Part #60-0240-011-000 CONTACT SOCKET 3.6 MM	TE Part #AGC047N0000052A000 617 RECEPTACLE ANGLED ROTATABLE
C C E TE			

TE Part #AUA021N00550150000<br/>623 PLUG, ANGLEDTE Part #BKA199N00590203000<br/>923 EXTENSION, SPEEDTEC-READYTE Part #BSA078F52420235000<br/>923 plugTE Part #BSA085F03570435000<br/>923 plug

#### BKUA199NN00420202000

Standard Circular Connectors, Cable-to-Cable, Power, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PBT+PA, Size 23, Shielded, Metal





# Documents

#### **CAD** Files

#### 3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_BKA199N00420202000\_A.2d\_dxf.zip

English

Customer View Model ENG\_CVM\_CVM\_BKA199N00420202000\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_BKA199N00420202000\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

#### Datasheets & Catalog Pages BKA199N00420202000

English

fuer Datenblaetter, die online konfigurierbar sind

German

## **Product Specifications**

German