# CKUA268NN00250026000 - ACTIVE

TE Internal #: CKA268N00250026000 Standard Circular Connectors, Cable-to-Cable, Power & Signal, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PBT GF, Size 40

#### View on TE.com >

Connectors > Circular Connectors > Standard Circular Connectors



Connector System: Cable-to-Cable

Sealable: No

Circuit Application: Power & Signal

Connector Mounting Type: Cable Mount (Free-Hanging)

Shell Plating Material: Electrodeposited Nickel

# Features

# Product Type Features



Product Type	Connector Assembly	
Connector System	Cable-to-Cable	
Sealable	No	
Shell Type	Metal	
Electrical Characteristics		
Operating Voltage	630 VAC	
Body Features		
Environmental Protection	IP67	
Shell Plating Material	Electrodeposited Nickel	
Shell Base Material	Zinc Alloy	
Circular Connector Insulation Material Type	PBT GF	
Mechanical Attachment		
Mating Retention Type	Speedtec (Triple Start Threaded)	
Connector Mounting Type	Cable Mount (Free-Hanging)	

# CKUA268NN00250026000

Standard Circular Connectors, Cable-to-Cable, Power & Signal, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PBT GF, Size 40



### **Housing Features**

Circular Connector Shell Size	40
Alignment Keyed	0°
Dimensions	
Cable Diameter Range	16.5 – 25 mm[.65 – .98 in]
Usage Conditions	
Operating Temperature Range	-20 – 130 °C[-4 – 266 °F]
Operation/Application	
Durability Rating	500 Cycles
Circuit Application	Power & Signal
Shielded	Yes
Industry Standards	
UL Flammability Rating	UL 94V-0
Approved Standards	UL

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions	
EU ELV Directive 2000/53/EC	Compliant with Exemptions	
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) SVHC > Threshold: Pb (3.5% in Component) Aticle Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	
Halogen Content	Not Yet Reviewed for halogen content	
Solder Process Capability	Not reviewed for solder process capability	
Product Compliance Disclaimer This information is provided based on reasonable inquiry of our suppliers and based on the information they provided. This information is subject to chang EU RoHS compliant have a maximum concentration of 0.1% by weight in hor chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadm	e. The part numbers that TE has identified as nogenous materials for lead, hexavalent	

limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part

# CKUA268NN00250026000

Standard Circular Connectors, Cable-to-Cable, Power & Signal, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PBT GF, Size 40




numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**

TE Part # CSA264N00250020000 940 PLUG, SPEEDTEC	TE Part # C0-0008-000-000 CRIMPING TOOL LARGE	TE Part # CO-0009-000-000 POSITIONING INSERT FOR 2 MM CONTACTS	TE Part # CO-0010-000-000 POSITIONING INSERT FOR 3.6 MM CONTACTS
TE Part # C0-0201-000-000	TE Part # C0-0236-000-000	TE Part # C0-0313-000-000	
CRIMPING TOOL MID-SIZE	DIGITAL CRIMPING TOOL, MID SIZE	CRIMPING DEVICE HC20 IN CASE	

# Customers Also Bought



# CKUA268NN00250026000

Standard Circular Connectors, Cable-to-Cable, Power & Signal, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PBT GF, Size 40



TE Part #EKB204N00330003000 TE Part #HSA020N00420102000 915 EXTENSION 723 HTEC PLUG, SPEEDTEC

# Documents

# **CAD** Files

### 3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_CKA268N00250026000\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CKA268N00250026000\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_CKA268N00250026000\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

# Datasheets & Catalog Pages CKA268N00250026000

English

fuer Datenblaetter, die online konfigurierbar sind

German

# **Product Specifications**

German