

# CONREVSMA005-R178 × OBSOLETE

TE Internal #: CONREVSMA005-R178

TE Internal Description: RP-SMA Jack 50 Ohm Bulkhead Mount

Crimp

[View on TE.com >](#)



Connectors > RF Connectors > Coax Connectors



RF Interface: **RP-SMA**

RF Connector Style: **Jack**

Impedance: **50 Ω**

Compatible With RF Cable Type: **RG 178, RG 196**

RF Connector Coupling Mechanism: **Threaded**

## Features

### Product Type Features

|                                   |                    |
|-----------------------------------|--------------------|
| Connector Product Type            | Connector Assembly |
| RF Interface                      | RP-SMA             |
| RF Connector Style                | Jack               |
| Compatible With RF Cable Type     | RG 178, RG 196     |
| Sealable                          | No                 |
| Connector & Contact Terminates To | Wire & Cable       |

### Configuration Features

|                            |   |
|----------------------------|---|
| Number of Positions        | 1 |
| Number of Coaxial Contacts | 1 |

### Electrical Characteristics

|           |      |
|-----------|------|
| Impedance | 50 Ω |
|-----------|------|

### Body Features

|                             |          |
|-----------------------------|----------|
| Cable Connector Orientation | Straight |
| Body Material               | Brass    |
| Body Material Finish        | Plated   |
| Body Plating Material       | Nickel   |

### Contact Features

|                          |        |
|--------------------------|--------|
| Ferrule Plating Material | Nickel |
|--------------------------|--------|



|                  |       |
|------------------|-------|
| Ferrule Material | Brass |
|------------------|-------|

|  |      |
|--|------|
| RF Connector Center Contact Plating Material | Gold |
|--|------|

|                                      |       |
|--------------------------------------|-------|
| RF Connector Center Contact Material | Brass |
|--------------------------------------|-------|

### Termination Features

|                                    |       |
|------------------------------------|-------|
| Termination Method to Wire & Cable | Crimp |
|------------------------------------|-------|

### Mechanical Attachment

|                                 |          |
|---------------------------------|----------|
| RF Connector Coupling Mechanism | Threaded |
|---------------------------------|----------|

|                         |             |
|-------------------------|-------------|
| Connector Mounting Type | Panel Mount |
|-------------------------|-------------|

|                               |            |
|-------------------------------|------------|
| RF Contact Captivation Method | Mechanical |
|-------------------------------|------------|

|        |         |
|--------|---------|
| Detent | Without |
|--------|---------|

### Usage Conditions

|                             |                            |
|-----------------------------|----------------------------|
| Operating Temperature Range | -65 – 165 °C[-85 – 329 °F] |
|-----------------------------|----------------------------|

### Operation/Application

|                     |          |
|---------------------|----------|
| Operating Frequency | 12.4 GHz |
|---------------------|----------|

|                     |        |
|---------------------|--------|
| Circuit Application | Signal |
|---------------------|--------|

### Packaging Features

|                    |     |
|--------------------|-----|
| Packaging Quantity | 100 |
|--------------------|-----|

|                  |      |
|------------------|------|
| Packaging Method | Bulk |
|------------------|------|

### Other

|                     |       |
|---------------------|-------|
| Lockwasher Material | Brass |
|---------------------|-------|

|                     |      |
|---------------------|------|
| Dielectric Material | PTFE |
|---------------------|------|

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

|                              |                  |
|------------------------------|------------------|
| EU RoHS Directive 2011/65/EU | Not Yet Reviewed |
|------------------------------|------------------|

|                             |                  |
|-----------------------------|------------------|
| EU ELV Directive 2000/53/EC | Not Yet Reviewed |
|-----------------------------|------------------|

|   |  |
|---|--|
| China RoHS 2 Directive MIIT Order No 32, 2016 | Not reviewed for China RoHS compliance |
|---|--|

|  |  |
|--|--|
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235)<br>Not Yet Reviewed |
|--|--|

|                 |                                      |
|-----------------|--------------------------------------|
| Halogen Content | Not Yet Reviewed for halogen content |
|-----------------|--------------------------------------|

|                           |  |
|---------------------------|--|
| Solder Process Capability | Not reviewed for solder process capability |
|---------------------------|--|

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

## Documents

### [Datasheets & Catalog Pages](#)

[RP-SMA FEMALE BULKHEAD MOUNT CABLE END CRIMP FOR RG178 CABLE](#)

English