

### DEUTSCH | DEUTSCH DRB

TE Internal #: DRBF-1A

Other Automotive Connector Accessories, Mounting Frame, PA

GF, Black, -55 – 125 °C [-67 – 257 °F], DEUTSCH DRB

View on TE.com >



Connectors > Automotive Connector > Automotive Connector Accessories > Other Automotive Connector Accessories > DEUTSCH DRB Mounting Accessories











Automotive Connector Accessory Type: Mounting Frame

Primary Product Material: PAGF

Primary Product Color: Black
Number of Positions: 102, 128

Operating Temperature Range: -55 – 125 °C [ -67 – 257 °F ]

All DEUTSCH DRB Mounting Accessories (6)

### **Features**

### **Product Type Features**

Troduct Type realures	
Automotive Connector Accessory Type	Mounting Frame
Configuration Features	
Number of Positions	102, 128
Body Features	
Primary Product Material	PA GF
Primary Product Color	Black
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Industry Standards	
UL Flammability Rating	Not tested
Packaging Features	

Packaging Quantity



Packaging Method	Box
Other	
Serviceable	Yes

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235)  Candidate List Declared Against: JUNE 2023 (235)  SVHC > Threshold:  Octamethylcyclotetrasiloxane (D4) (.5% in Component Part)  Dodecamethylcyclohexasiloxane (D6) (.5% in Component Part)  Decamethylcyclopentasiloxane (D5) (.5% in Component Part)  Article Safe Usage Statements:  Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or CI > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**





## Also in the Series | DEUTSCH DRB



Automotive Connector Caps & Covers
(1)



Automotive Connector Locks & Position Assurance(20)



Automotive Housings(19)



Connector Strain Relief(1)



Insertion & Extraction Tools(1)



Other Automotive Connector Accessories(6)

# Customers Also Bought



TE Part #WB-51SAL

DEUTSCH DRB Wedgelocks



TE Part #2298173-1 DT04-08PA-P089, REC, 8P GRY, BUSBAR,3X2,A



TE Part #1-2328352-2 25POS, MIXED,REC HSG,ASSY, SEALED, COD A



TE Part #DRB12-128PAE-L018 REC, 128P, BLK, E, CAP, A



TE Part #9-2367345-1 SOC CONN CVR ASSY,2POS,CSS SIZE 20,180



TE Part #2500021-1 SRC Pwr 60+6AG Male Blade Hsg Assy



TE Part #K5000061 Batt. Disconnector 35-314-131-R-901

TE Part #1718027-2



### **Documents**

### **Product Drawings**

FLANGE, MOUNT, 102/128P, BLK, A

English

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_DRBF-1A\_99.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_DRBF-1A\_99.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_DRBF-1A\_99.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

**CONNECTOR SELECTOR** 

English

### **Product Specifications**

**Application Specification** 

English