



Wire Protection & Management > Adhesives & Sealants > Hot Melt Tape



Adhesive Type: **Fluoropolymer Adhesive**

Operating Temperature Range: -55 – 200 °C

Features

Product Type Features

Adhesive Type	Fluoropolymer Adhesive
---------------	------------------------

Dimensions

Product Length	7.62 m[25 ft]
Product Width	19 mm[.7 in]

Usage Conditions

Installation Temperature	220 °C
Operating Temperature Range	-55 – 200 °C

Industry Standards

Adhesive Specification	RT-1050/29
------------------------	------------

Packaging Features

Packaging Method	Roll
------------------	------

Other

Adhesives & Sealants Comment	Fluoropolymer compatible adhesive.
------------------------------	------------------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235)

Candidate List Declared Against: JUNE 2023 (235)

Does not contain REACH SVHC

Halogen Content

BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Customers Also Bought



TE Part #182919-1
CPC FR-HANG RCP




TE Part #727844-000
D-150-0175



TE Part #D17660-000
D-200-82



TE Part #1-1337447-0
BNC Ins BHSkt 50Ohm Nickel Silver Pltd



TE Part #640454-6
06P MTA100 HDR ASSY SQ STR POL



TE Part #NB08082001
HTAT-48/13-0-STK



TE Part #193495-000
D-150-0179



TE Part #2-1617748-3
FCA-125-17=M6106/19-017



TE Part #390627-000
55PC0211-12-9CS2600



Documents

Product Drawings

[S1260-TAPE-3/4INX25FT-CL](#)

English

Datasheets & Catalog Pages

[Raychem S1260 High-Temp Tape Adhesive](#)

English