EEDA101NN0000001000 ACTIVE



TE Internal #: EGA101N00000001000

Standard Circular Connectors, Cable-to-Panel, Power & Signal, Panel Mount, Electrodeposited Nickel, Zinc Alloy, PBT+PA, Size 15,

Shielded, Receptacle

View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors











Connector System: Cable-to-Panel

Sealable: No

Circuit Application: Power & Signal

Connector Mounting Type: Panel Mount Shell Plating Material: Electrodeposited Nickel

Features

Product Type Features

Connector System Sealable No Circular Connector Type Receptacle Matal	Product Type	Connector Assembly
Circular Connector Type Receptacle	Connector System	Cable-to-Panel
	Sealable	No
	Circular Connector Type	Receptacle
Shell Type Ivietal	Shell Type	Metal

Electrical Characteristics

Operating Voltage	63 VAC, 630 VAC

Body Features

Environmental Protection	IP67
Shell Plating Material	Electrodeposited Nickel
Shell Base Material	Zinc Alloy
Circular Connector Insulation Material Type	PBT+PA

Mechanical Attachment

Mating Retention Type	Push-Pull Self-Locking

Standard Circular Connectors, Cable-to-Panel, Power & Signal, Panel Mount, Electrodeposited Nickel, Zinc Alloy, PBT+PA, Size 15, Shielded, Receptacle



Panel Mount Feature Type	Flange with Mounting Holes	
Connector Mounting Type	Panel Mount	
Housing Features		
Circular Connector Shell Size	15	
Usage Conditions		
Operating Temperature Range	-20 – 130 °C[-4 – 266 °F]	
Operation/Application		
Durability Rating	500 Cycles	
Circuit Application	Power & Signal	
Shielded	Yes	
Industry Standards		
UL Flammability Rating	UL 94V-0	
Approved Standards	UL	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



Compatible Parts













Customers Also Bought





















Standard Circular Connectors, Cable-to-Panel, Power & Signal, Panel Mount, Electrodeposited Nickel, Zinc Alloy, PBT+PA, Size 15, Shielded, Receptacle



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_EGA101N0000001000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_EGA101N0000001000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_EGA101N0000001000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

fuer Datenblaetter, die online konfigurierbar sind

German

615/915 ytec Winkeleinbaudose Flansch 25x25, 12/9-polig EEDA101NN0000001000 DE/EN

German

EGA101N0000001000

English