



TMS-CT

TE Internal #: EL7644-000

Printable Tubing, Continuous, Military, 3:1 Shrink Ratio, Yellow, .125in [3.2mm] Expanded Inside Diameter, TMS-CT

[View on TE.com >](#)

Identification & Labeling > Printable Tubing > Continuous Tube, Military Grade TMS-CT



Printable Tubing Type: **Continuous**

Printable Tubing Grade: **Military**

Shrink Ratio: **3:1**

Primary Product Color: **Yellow**

Expanded Inside Diameter (Min): **3.2 mm [ .125 in ]**

[All Continuous Tube, Military Grade TMS-CT \(30\)](#)

**Features**

**Product Type Features**

Printable Tubing Type	Continuous
Printable Tubing Grade	Military

**Body Features**

Shrink Ratio	3:1
Primary Product Color	Yellow

**Dimensions**

Expanded Inside Diameter (Min)	3.2 mm [.125 in]
Recovered Inside Diameter (Max)	1.07 mm [.042 in]
Compatible Cable Diameter Range	1.2 – 2.7 mm [.042 – .105 in]

**Usage Conditions**

Operating Temperature Range	-55 – 135 °C [-67 – 275 °F]
-----------------------------	-----------------------------

**Printer/Label Features**

Printer Technology	Thermal Transfer
--------------------	------------------

**Packaging Features**

Packaging Quantity	50
--------------------	----



## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



TE Part # 1-2186500-1  
T3212-PRINTER



TE Part # 1-2186502-1  
T3224-PRINTER



TE Part # 1-2186503-1  
T3224-SWARE-PRINTER



TE Part # 1-2186501-1  
T3212-SWARE-PRINTER



TE Part # CP8122-000  
T6112DS-PRINTER



## Also in the Series | TMS-CT



Printable Tubing(30)


## Customers Also Bought



TE Part #EL7643-000  
Continuous Tube, Military Grade TMS-CT



TE Part #EL7354-000  
HT-CT-50M-3/32-OUT-9



TE Part #E52180-000  
TTMS-3.2-2

## Documents

### Product Drawings

[TMS-CT-50M-1/8-OUT-4](#)

English

### Datasheets & Catalog Pages

[Printable Continuous Tubing](#)

English

[TMS-CT, Continuous Military Grade Heat Shrink Identification Tube.](#)

English

### Product Specifications

[Product Specification](#)

English

[IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX](#)

English

### Instruction Sheets

[Instruction Sheet \(non U.S.\)](#)

English