# GA10K3435STM010 <

### MEAS | MEAS PRO4

TE Internal #: GA10K3435STM010 TE Internal Description: PRO4-OVERMOLDED PROBE View on TE.com >



Sensors > Temperature Sensors > NTC Thermistors Sensors & Probes > NTC Probes



Sensor Type: HVAC/R Sensor Connector Type: Open End Resistance @ 25°C [KΩ]: 10 kΩ T\_ref for Resistance: 25 °C [77 °F] β-Value(25/85): 3435 K

### Features

### **Product Type Features**

| Sensor Type                 | HVAC/R                          |
|-----------------------------|---------------------------------|
| Electrical Characteristics  |                                 |
| Resistance @ 25°C [KΩ]      | 10 kΩ                           |
| β-Value(25/85)              | 3435 K                          |
| Mechanical Attachment       |                                 |
| Wire Length                 | 1000 mm[39 in]                  |
| Wire/Cladding               | 24 AWG Stranded Insulated Leads |
| Usage Conditions            |                                 |
| Operating Temperature Range | -40 – 125 °C[-40 – 257 °F]      |
| T_ref for Resistance        | 25 °C[77 °F]                    |
| Temperature Accuracy        | ± .22 @ 25 °C                   |
| Tolerance Resistance        | ±1 %                            |
| Packaging Features          |                                 |
| Package                     | Overmold TPE                    |
| Other                       |                                 |
|                             | Open End                        |

For compliance documentation, visit the product page on TE.com>



| EU RoHS Directive 2011/65/EU                  | Compliant   |
|---|---|
| EU ELV Directive 2000/53/EC                   | Compliant   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold   |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2023<br>(235)<br>Candidate List Declared Against: JUNE<br>2023 (235)<br>Does not contain REACH SVHC |
| Halogen Content                               | Not Yet Reviewed for halogen content  |
| Solder Process Capability                     | Not reviewed for solder process capability  |


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**




## Also in the Series | MEAS PRO4



PRO4-OVERMOLDED PROBE



## Customers Also Bought





TE Part #626038-2



## Documents

Datasheets & Catalog Pages Single Insulated TPE OM Probe 5x15mm

English