

ALR | ALR NS

TE Internal #: J2745D-000

TE Internal Description: ALR-NS-10ANSI

View on TE.com >



Connectors > Lighting Connectors > Street Lighting Controls > Street Lighting Open & Shorting Caps











Lighting Product Type: Open Cap

Primary Product Color: Red

Product Diameter: 73 mm [2.87 in]

Sealable: Yes

Circuit Application: Power

Features

Product Type Features

Lighting Product Type	Open Cap
Sealable	Yes

Electrical Characteristics

Load Rating (Tungsten)	1000 W
Load Rating (Ballast)	1800 VA

Body Features

Cover Material	High Impact Polypropylene
Primary Product Color	Red

Dimensions

Product Height	35 mm[1.4 in]
Product Diameter	73 mm[2.87 in]

Usage Conditions

Operating Temperature Range	-40 - 65 °C[-40 - 149 °F]

Operation/Application



Circuit Application	Power
Packaging Features	
Packaging Method	Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) SVHC > Threshold: Cd (7.5% in Component Part) Article Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





TE Part # 2213627-4 ASSEMBLY, ROT DIM REC 49.22MM 7 POS 105C



TE Part # 2-2332966-4 RECEPTACLE, TOOL-LESS ROTATABLE DIMMING



TE Part # CAT-ST833-L97 Receptacle Assembly



ALR-8090-VFS



TE Part # 2213362-4 RCPT ASSY, DIMMABLE PHOTOCONTROL,105C,3/4



TE Part # 4Z9454-000 ALR-7090-VFS



TE Part # L2134Z-000 ALR-7090-VPS



TE Part # 2328118-1 LUMAWISE ENDURANCE N SHORTING CAP



LUMAWISE Endurance N+ Shorting Cap



Also in the Series | ALR NS



Customers Also Bought





ASBS 3/0-500-S











Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_J2745D-000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_J2745D-000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_J2745D-000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

SHORTING-OPEN-CAPS-STREET-LIGHTING

English