DEUTSCH | Jiffy Splice

TE Internal #: JS-16-00

Other Automotive Connector Accessories, Splice, VMQ, Red-

Orange, -55 – 125 °C [-67 – 257 °F], Jiffy Splice

View on TE.com >



Connectors > Automotive Connectors > Automotive Connector Accessories > Other Automotive Connector Accessories > Jiffy Splice



Automotive Connector Accessory Type: Splice

=TE

Primary Product Material: VMQ

Primary Product Color: Red-Orange

Number of Positions: 1

Operating Temperature Range: -55 – 125 °C [-67 – 257 °F]

All Jiffy Splice (2)

Features

Product Type Features

Automotive Connector Accessory Type	Splice
Configuration Features	
Number of Positions	1
Body Features	
Primary Product Material	VMQ
Primary Product Color	Red-Orange
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Industry Standards	
Agency/Standard	SAE J2030
Packaging Features	
Packaging Quantity	2500



Packaging Method Box

Other

Serviceable	Yes	
-------------	-----	--

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts













TE Part # 2300908-1 0460-003-16329, PIN, SOLID, 20-24AWG, AU



TE Part # 0411-336-1605 EXT TOOL, SIZE 16, 16-20 AWG, E, DRK BLU

TE Part # CAT-D48-SFT273
DEUTSCH Stamped and Formed
Contacts

Also in the Series | Jiffy Splice



Insertion & Extraction Tools(1)



Other Automotive Connector Accessories(2)

Customers Also Bought



TE Part #WB-48SB WEDGE LOCK, 48P, PLG, BLK, DRB, B




TE Part #DT04-12PA-B016
DEUTSCH DT Receptacle Connectors



TE Part #DRB16-48SBE-L018 PLG, 48P, BLK, E, CAP, B





TE Part #796867-8 8 POS TERMI-BLOK HDR VERTICAL



TE Part #5-1803407-3
CRIMPER, WIRE F, SMALL WIRE



TE Part #K1138370 Limit switch G12-211-M-15 904

TE Part #1027-002-0800 CLIP, STEEL, ZINC, 13MM HOLE, ST, DT8PIN

TE Part #2819651-1 DT04-3P-EP10



Documents

Product Drawings

JIFFY SPLICE, Size 16

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_JS-16-00_99_c-js-16-00-99.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_JS-16-00_99_c-js-16-00-99.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_JS-16-00_99_c-js-16-00-99.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English