



Relays, Contactors & Switches > Switches > Toggle Switches > Toggle Switch 1-Pole, Sealed, Lever, Toggle

Configuration (Pole-Throw): **Single Pole - Double Throw**

Bushing Thread Size: **M12 x .75**

Sealed Device: **Yes**

Contact Base Material: **Copper**

Switch Contact Plating Material: **Silver Tin Oxide**

[All Toggle Switch 1-Pole, Sealed, Lever, Toggle \(43\)](#)

Features

Product Type Features

| | |
|------------------------|------------------------|
| Switch Connection Type | Quick Connect Terminal |
| Sealed Device | Yes |
| Toggle Style | Lever |
| Toggle Switch Type | Toggle |
| Toggle Actuation | Horizontal |

Configuration Features

| | |
|----------------------------|----------------------------|
| Configuration (Pole-Throw) | Single Pole - Double Throw |
| Operating Function | On Off On |

Electrical Characteristics

| | |
|------------------------------|--------|
| Toggle Switch Voltage Rating | 28 VDC |
|------------------------------|--------|

Body Features

| | |
|-------------------------|---------------|
| Actuator Finish | Thermoplastic |
| Bushing Thread Size | M12 x .75 |
| Toggle Switch Seal Type | Boot Seal |
| Bushing Style | Threaded |

Contact Features

| | |
|---------------------------------|------------------|
| Contact Base Material | Copper |
| Switch Contact Plating Material | Silver Tin Oxide |



| | |
|--------------------------------------|------|
| Toggle Switch Contact Current Rating | 15 A |
|--------------------------------------|------|

Termination Features

| | |
|------------------|------------------------------------|
| Termination Type | .25 x .032 Quick Connect Terminals |
|------------------|------------------------------------|

Mechanical Attachment

| | |
|-----------------------------|--------------|
| Toggle Switch Mounting Type | Through Hole |
|-----------------------------|--------------|

Housing Features

| | |
|----------------|-----|
| Process Sealed | Yes |
|----------------|-----|

Operation/Application

| | |
|---------------------------------|-----|
| Opposite Keyway Toggle Position | 2-3 |
|---------------------------------|-----|

| | |
|------------------------|---|
| Center Toggle Position | 0 |
|------------------------|---|

| | |
|----------------------------------|-----|
| Keyway Toggle Actuation Position | 1-2 |
|----------------------------------|-----|

Industry Standards

| | |
|-----------|-------|
| IP Rating | IP6K5 |
|-----------|-------|

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|------------------------------|---------------------------|
| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
|------------------------------|---------------------------|

| | |
|-----------------------------|---------------------------|
| EU ELV Directive 2000/53/EC | Compliant with Exemptions |
|-----------------------------|---------------------------|

| | |
|---|--------------------------------------|
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
|---|--------------------------------------|

| | |
|--|---|
| EU REACH Regulation (EC) No. 1907/2006 | <p>Current ECHA Candidate List: JUNE 2023 (235)</p> <p>Candidate List Declared Against: JAN 2021 (211)</p> <p>SVHC > Threshold:</p> <p>Pb (3.5% in Component part)</p> |
|--|---|

Article Safe Usage Statements:
Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

| | |
|-----------------|--------------------------------------|
| Halogen Content | Not Yet Reviewed for halogen content |
|-----------------|--------------------------------------|

| | |
|---------------------------|--|
| Solder Process Capability | Not reviewed for solder process capability |
|---------------------------|--|

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits

as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # K1014077
Toggle Switch 07-1-2-17 934

TE Part # K1007185
Toggle Switch 07-2-2-13 901

Also in the Series | KISSLING Series 07

Other Automotive Connector Accessories(1)

Switch Seals & Accessories(7)

Toggle Switches(97)

Customers Also Bought

TE Part #1658670-1
PIN CONTACT,22 DF,STRIP,22-28

TE Part #5745172-2
15 POS STRAIN RELIEF KIT

TE Part #C750743001
RAY-103-3.0(100)


TE Part #5745172-3
SIZE 2 ASSY KIT CBL CLAMP

TE Part #K1002983
Toggle Switch 07-2-2-17

TE Part #K1136395
Battery Disconnecter 35-210-021-S

TE Part #60-0265-011-000
CONTACT SOCKET 1 MM

TE Part #61-0232-011-000
CONTACT PIN 1 MM



Documents

Product Drawings

Toggle Switch 07-1-2-15 934

German

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_07-1-2-15-934_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_07-1-2-15-934_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_07-1-2-15-934_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

KISSLING TOGGLE SWITCH Series 07

English