07-4-2-13 933 V ACTIVE

KISSLING | KISSLING Series 07

TE Internal #: K1042044

Toggle Switches, Four Pole - Single Throw Configuration (Pole-

Throw), M12 x .75, Sealed, Copper, Silver Tin Oxide, Process

Sealed, KISSLING Series 07

View on TE.com >



Relays, Contactors & Switches > Switches > Toggle Switches > Toggle Switch 4-Pole, Sealed, Lever, Toggle

Configuration (Pole-Throw): Four Pole - Single Throw

Bushing Thread Size: M12 x .75

Sealed Device: Yes

Contact Base Material: Copper

Switch Contact Plating Material: Silver Tin Oxide

All Toggle Switch 4-Pole, Sealed, Lever, Toggle (7)

Features

Product Type Features

Switch Connection Type	Quick Connect Terminal
Sealed Device	Yes
Toggle Style	Lever
Toggle Switch Type	Toggle
Toggle Actuation	Horizontal

Configuration Features

Configuration (Pole-Throw)	Four Pole - Single Throw
Operating Function	On On

Electrical Characteristics

Body Features

Actuator Finish	Thermoplastic
Bushing Thread Size	M12 x .75
Toggle Switch Seal Type	Boot Seal
Bushing Style	Threaded

Contact Features

Contact Base Material	Copper
Switch Contact Plating Material	Silver Tin Oxide



Toggle Switch Contact Current Rating	15 A
Termination Features	
Termination Type	.25 x .032 Quick Connect Terminals
Mechanical Attachment	
Toggle Switch Mounting Type	Through Hole
Housing Features	
Process Sealed	Yes
Operation/Application	
Opposite Keyway Toggle Position	2-3, 5-6, 8-9, 11-13
Center Toggle Position	None
Keyway Toggle Actuation Position	1-2, 4-5, 7-8, 10-11
Industry Standards	
IP Rating	IP6K5

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2021 (211) SVHC > Threshold: Pb (2.5% in Component part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits




as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts





Also in the Series | KISSLING Series 07





Customers Also Bought

















Toggle Switches, Four Pole - Single Throw Configuration (Pole-Throw), M12 \times .75, Sealed, Copper, Silver Tin Oxide, Process Sealed, KISSLING Series 07



TE Part #K1147050

Relay 28-311-99-900

TE Part #K1060010

Relay 30-313-12-901

Documents

Product Drawings

Toggle Switch 07-4-2-13 933

German

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_07-4-2-13-933_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_07-4-2-13-933_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_07-4-2-13-933_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

KISSLING TOGGLE SWITCH Series 07

English