KISSLING | KISSLING Series 35

TE Internal #: K1060586

Rotary Switches, 1 Position, Lever Actuator Style, 1 Decks, Rotary, Rotary, 1 Switch, Sealed, 20 VAC, 32 VDC, KISSLING Series 35

View on TE.com >



Relays, Contactors & Switches > Switches > Rotary Switches



Number of Rotary Switch Positions: 1

Actuator Style: Lever
Number of Decks: 1
Switch Style: Rotary

Rotary Switch Type: Rotary

Features

Product Type Features

Actuator Style	Lever
Switch Style	Rotary
Rotary Switch Type	Rotary
Sealed Rotary Switch	Yes
Configuration Features	
Number of Rotary Switch Positions	1
Number of Decks	1
Number of Switches	1
Electrical Characteristics	
Rotary Switch Voltage Rating	20 VAC
Body Features	

Product Compliance

Actuator Color

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold

Red



EU REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JUNE 2023

(235)

Candidate List Declared Against: JAN 2023

(233)

Does not contain REACH SVHC

Halogen Content Not Yet Reviewed for halogen content

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | KISSLING Series 35





Customers Also Bought

Rotary Switches, 1 Position, Lever Actuator Style, 1 Decks, Rotary, Rotary, 1 Switch, Sealed, 20 VAC, 32 VDC, KISSLING Series 35





TE Part #5227671-1
BNC PCB VERTICAL W/PINS



TE Part #DT06-2S-C015 PLG, 2P, GRY, E



TE Part #3-1670894-1 8POS,AMP MCP2.8,REC HSG,ASSY



TE Part #K1060611 Relay 29-311-12A



TE Part #K1147744

Battery Disconnector 35-223-100-R-901



TE Part #K1126755 Battery Disconnector, 400A, 1 Pole



TE Part #K1137217 Battery Disconnector 35-524-231-R-900



TE Part #1-1414167-0 V23134A0056X432-EV-CBOX



Documents

Product Drawings

Switch lever 90DEG 35-200-014

German

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_35-200-014_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_35-200-014_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_35-200-014_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Rotary Switches, 1 Position, Lever Actuator Style, 1 Decks, Rotary, Rotary, 1 Switch, Sealed, 20 VAC, 32 VDC, KISSLING Series 35



KISSLING BATTERY DISCONNECTOR Series 35 / 200A

English