TS-211-SW11 V ACTIVE

KISSLING | KISSLING Series TS

TE Internal #: K1142490 Push Button Switches, Single Pole - Double Throw Configuration (Pole-Throw), Switch, Single Actuator, Flush Actuator Profile, KISSLING Series TS

View on TE.com >



Relays, Contactors & Switches > Switches > Push Button Switches > Push Button Switch, Center Thread, 1 Actuator, Flush Profile



Configuration (Pole-Throw): Single Pole - Double Throw Push Button Switch Product Type: Switch Number of Actuators: Single Actuator Profile: Flush Bushing Style: Threaded

All Push Button Switch, Center Thread, 1 Actuator, Flush Profile (44)

Features

Product Type Features

Switch Connection Type

DIN Connector

| Push Button Switch Product Type | Switch |
|-----------------------------------|----------------------------|
| Illuminated | No |
| Actuator Style | Round |
| Configuration Features | |
| Configuration (Pole-Throw) | Single Pole - Double Throw |
| Number of Actuators | Single |
| Snap Action | Without |
| Support Bracket | Without |
| Tactile | No |
| Operating Function | Momentary |
| Electrical Characteristics | |
| Push Button Switch Voltage Rating | 32 VDC |
| Body Features | |
| Actuator Profile | Flush |
| Bushing Style | Threaded |

TS-211-SW11

Push Button Switches, Single Pole - Double Throw Configuration (Pole-Throw), Switch, Single Actuator, Flush Actuator Profile, KISSLING Series TS



| Actuator Color | Black |
|----------------------------------------------------------------------------------------------|----------------------------------------|
| Contact Features | |
| Push Button Switch Contact Current Rating | 5 A |
| Switch Contact Plating Material | Silver Clad Copper |
| Mechanical Attachment | |
| Push Button Switch Mounting Type | Through Hole |
| Housing Features | |
| Process Sealed | No |
| Operation/Application | |
| Actuator Total Travel | 2.5 mm[.098 in] |
| Product Compliance For compliance documentation, visit the product page on TE.com> | |
| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
| EU ELV Directive 2000/53/EC | Compliant with Exemptions |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 |

Halogen Content

Solder Process Capability

(235)

Candidate List Declared Against: JUL 2021

(219)

SVHC > Threshold:

Pb (3% in Copper alloy)

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Not Yet Reviewed for halogen content

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

TS-211-SW11

Push Button Switches, Single Pole - Double Throw Configuration (Pole-Throw), Switch, Single Actuator, Flush Actuator Profile, KISSLING Series TS




Compatible Parts





TE Part # CAT-AL8-STPBSC Push Button Switch, Center Thread, 1 Actuator, Flush Profile


Also in the Series KISSLING Series TS



Customers Also Bought









Documents

Product Drawings Push button switch TS-211-SW11

German

CAD Files

TS-211-SW11

Push Button Switches, Single Pole - Double Throw Configuration (Pole-Throw), Switch, Single Actuator, Flush Actuator Profile, KISSLING Series TS



3D PDF

3D

Customer View Model ENG_CVM_CVM_TS-211-SW11_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_TS-211-SW11_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_TS-211-SW11_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages KISSLING PUSH BUTTON SWITCH Series TS

English