

DS-221-RT1 ✓ ACTIVE

KISSLING | KISSLING Series DS

TE Internal #: K1145355

Rotary Switches, 1 Position, Short Handle Selector Actuator Style, 1 Decks, Rotary, Selector, 2 Switch, Thermoplastic, Sealed, 5 A, KISSLING Series DS

[View on TE.com >](#)



Relays, Contactors & Switches > Switches > Rotary Switches > Rotary Switch, Center Thread, Short Handle Selector, Sealed



Number of Rotary Switch Positions: 1

Actuator Style: **Short Handle Selector**

Number of Decks: 1

Switch Style: **Rotary**

Rotary Switch Type: **Selector**

[All Rotary Switch, Center Thread, Short Handle Selector, Sealed \(12\)](#)

Features

Product Type Features

Switch Connection Type	DIN Connector
Actuator Style	Short Handle Selector
Switch Style	Rotary
Rotary Switch Type	Selector
Sealed Rotary Switch	Yes
Code Type	Single Pole

Configuration Features

Operating Function	Change Over 2 Pole, Maintained
Number of Rotary Switch Positions	1
Number of Decks	1
Number of Switches	2

Electrical Characteristics

Rotary Switch Voltage Rating	20 VAC
------------------------------	--------

Body Features

Actuator Color	Red
----------------	-----

Contact Features



Rotary Switch Contact Current Rating	5 A
Contact Base Material	Silver Clad Copper

Mechanical Attachment

Rotary Switch Mounting Type	Through Hole
Rotary Switch Mounting Angle	Vertical

Housing Features

Rotary Switch Housing Material	Thermoplastic
--------------------------------	---------------

Product Compliance


[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2021 (211) SVHC > Threshold: Pb (3% in Copper alloy) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | KISSLING Series DS



Customers Also Bought





Documents

Product Drawings

[Rotary Switch DS-221-RT1](#)

English

[Rotary Switch DS-221-RT1](#)

German

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_DS-221-RT1_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_DS-221-RT1_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_DS-221-RT1_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[KISSLING ROTARY SWITCH Series DS](#)

English