

KISSLING | KISSLING Series TS

TE Internal #: K1154249 Push Button Switches, Three Pole - Double Throw Configuration (Pole-Throw), Switch, Single Actuator, Flush Actuator Profile, KISSLING Series TS

View on TE.com >



Relays, Contactors & Switches > Switches > Push Button Switches > Push Button Switch, Center Thread, 1 Actuator, Flush Profile



Configuration (Pole-Throw): Three Pole - Double Throw Push Button Switch Product Type: Switch Number of Actuators: Single Actuator Profile: Flush Bushing Style: Threaded

All Push Button Switch, Center Thread, 1 Actuator, Flush Profile (44)

Features

Product Type Features

Switch Connection Type

DIN Connector

Push Button Switch Product Type	Switch
Illuminated	No
Actuator Style	Round
Configuration Features	
Configuration (Pole-Throw)	Three Pole - Double Throw
Number of Actuators	Single
Snap Action	Without
Support Bracket	Without
Tactile	No
Operating Function	Momentary
Electrical Characteristics	
Push Button Switch Voltage Rating	32 VDC
Body Features	
Actuator Profile	Flush
Bushing Style	Threaded

TS-221-GE11

Push Button Switches, Three Pole - Double Throw Configuration (Pole-Throw), Switch, Single Actuator, Flush Actuator Profile, KISSLING Series TS



Actuator Color	Yellow
Contact Features	
Push Button Switch Contact Current Rating	5 A
Switch Contact Plating Material	Silver Clad Copper
Mechanical Attachment	
Push Button Switch Mounting Type	Through Hole
Housing Features	
Process Sealed	No
Operation/Application	
Actuator Total Travel	2.5 mm[.098 in]
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023

Halogen Content

Solder Process Capability

(235)

Candidate List Declared Against: JAN 2021

(211)

SVHC > Threshold:

Pb (3% in Component part)

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Not Yet Reviewed for halogen content

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


TS-221-GE11

Push Button Switches, Three Pole - Double Throw Configuration (Pole-Throw), Switch, Single Actuator, Flush Actuator Profile, KISSLING Series TS





Also in the Series | KISSLING Series TS



Customers Also Bought





TS-221-GE11

Push Button Switches, Three Pole - Double Throw Configuration (Pole-Throw), Switch, Single Actuator, Flush Actuator Profile, KISSLING Series TS





Documents

Product Drawings Push button switch TS-221-GE11

German

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_TS-221-GE11_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_TS-221-GE11_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_TS-221-GE11_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages KISSLING PUSH BUTTON SWITCH Series TS

English