ANT-8/9-FPC-UFL-100 - ACTIVE

TE Internal #: L9000128-01 Flexible PCB (FPC) Antenna, Dual Band, LoRaWAN / LPWAN, Internal/Embedded Mount, Adhesive, MHF / MHF1 / UMCC, Omnidirectional, Single Port

View on TE.com >

Antennas



Wireless Application: LoRaWAN, LPWAN, Wi-Fi
Mounting Location: Internal/Embedded
Mounting Type: Adhesive
Antenna Termination: MHF, MHF1, U.FL, UMCC
Antenna Type: Flexible PCB (FPC)

Features

Product Type Features

Antenna Termination

Configuration Features

Antenna Style



MHF, MHF1, U.FL, UMCC

Patch

Mounting Location	Internal/Embedded
Antenna Type	Flexible PCB (FPC)
Band Type	Dual Band
Port Configuration	Single Port
Electrical Characteristics	
VSWR (Max)	<2.1:1
Impedance	50 Ω
Signal Characteristics	
Frequency Band	862 – 876 MHz
Nominal Frequency Range	698 – 2700
Peak Gain	< 0 dBi
Body Features	
Product Weight	.6 g[.02116 oz]
Mechanical Attachment	

C For support call+1 800 522 6752

09/21/2023 08:06AM | Page 1

ANT-8/9-FPC-UFL-100

Flexible PCB (FPC) Antenna, Dual Band, LoRaWAN / LPWAN, Internal/Embedded Mount, Adhesive, MHF / MHF1 / UMCC, Omnidirectional, Single Port



Polarization	Lincor
Folarization	Linear
Mounting Type	Adhesive
Dimensions	
Cable Length	.1 m[.33 ft]
Product Width	15 mm[.59 in]
Product Length	39 mm[1.54 in]
Product Height	.2 mm[.01 in]
Operation/Application	
Directionality	Omnidirectional
Industry Standards	
Wireless Application	LoRaWAN, LPWAN, Wi-Fi
Primary Application	LoRaWAN, LPWAN

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

EU ELV Directive 2000/53/EC

Compliant

Not Yet Reviewed

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Not reviewed for solder process capability

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the

ANT-8/9-FPC-UFL-100

Flexible PCB (FPC) Antenna, Dual Band, LoRaWAN / LPWAN, Internal/Embedded Mount, Adhesive, MHF / MHF1 / UMCC, Omnidirectional, Single Port



product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



Customers Also Bought





Documents

Product Drawings Antenna FPC 868/915MHz 1.13 100 UFL

English

Datasheets & Catalog Pages Flexible Embedded LPWA 868/915 MHz Antenna

English