

ANT-8/9-HDP-2000-SMA × OBSOLETE

TE Internal #: L9000130-01

TE Internal Description: Antenna Horiz Dipole 8/9MHz RG174 2M

SMA

[View on TE.com >](#)



Antennas



Wireless Application: **LoRaWAN, LPWAN, Wi-Fi**

Mounting Location: **Remote**

Mounting Type: **Adhesive**

Antenna Termination: **SMA**

Antenna Type: **Module**

Features

Product Type Features

Antenna Termination	SMA
---------------------	-----

Configuration Features

Antenna Style	Whip
Mounting Location	Remote
Antenna Type	Module
Band Type	Dual Band
Port Configuration	Single Port

Electrical Characteristics

VSWR (Max)	<1.9:1
Impedance	50 Ω

Signal Characteristics

Frequency Band	868 MHz
Nominal Frequency Range	698 – 2700
Peak Gain	0 < 3 dBi

Body Features

Product Weight	42 g[1.48148 oz]
----------------	------------------

Mechanical Attachment

Polarization	Linear
--------------	--------



Mounting Type

Adhesive

Dimensions

Cable Length

2 m[6.56 ft]

Product Width

17 mm[.67 in]

Product Length

104 mm[4.09 in]

Product Height

4.2 mm[.17 in]

Operation/Application

Directionality

Omnidirectional

Industry Standards

Wireless Application

LoRaWAN, LPWAN, Wi-Fi

Primary Application

LoRaWAN, LPWAN

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU

Compliant with Exemptions

EU ELV Directive 2000/53/EC

Not Yet Reviewed

China RoHS 2 Directive MIIT Order No 32, 2016

Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2023
(235)

Not Yet Reviewed

Halogen Content

Not Yet Reviewed for halogen content

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Customers Also Bought



TE Part #T4131012051-000
M12,REAR MOUNT,FEMALE,A,5P,
SOLDER WIRE



TE Part #T4110001081-000
M12 Field Installable Unshielded



TE Part #5227755-2
BNC SOLDER RECEPT JACK SHORT



TE Part #1-2176088-3
RP 1J 0.166W 1K0 0.1% 25PPM 1K RL




TE Part #4-2176337-4
CRGCQ 0402 39K 1%



TE Part #4-2176337-7
CRGCQ 0402 68K 1%



TE Part #4-2176337-8
CRGCQ 0402 82K 1%



TE Part #ANT-868-OC-LG-SMA
Antenna Straight Whip 868MHz Swivel
SMA



TE Part #ANT-MAG-B85-RPS
Antenna Magnetic Base 85mm RG174
4M RPS

Documents

Datasheets & Catalog Pages

Remote Adhesive-Mount 868 MHz/915 MHz Antenna

English