ANT-8/9-IPW1-SMA
 ACTIVE

TE Internal #: L9000132-01 Whip Antenna, Dual Band, LPWAN / LoRaWAN, External Mount, Connector, SMA, Omnidirectional, Single Port, Gain 0 < 3 dBi View on TE.com >



Antennas



Wireless Application: LoRaWAN, LPWAN, Wi-Fi

Mounting Location: External

Mounting Type: Connector

Antenna Termination: SMA

Antenna Type: Whip

Features

Product Type Features

| Antenna Termination | SMA |
|------------------------|----------|
| Configuration Features | |
| Mounting Location | External |

Antonna Typo

\M/hin

| Antenna Type | Whip |
|-------------------------|-----------------------|
| Band Type | Dual Band |
| Port Configuration | Single Port |
| Signal Characteristics | |
| Nominal Frequency Range | 698 – 2700 |
| Peak Gain | 0 < 3 dBi |
| Mechanical Attachment | |
| Mounting Type | Connector |
| Operation/Application | |
| Directionality | Omnidirectional |
| Industry Standards | |
| Wireless Application | LoRaWAN, LPWAN, Wi-Fi |
| Primary Application | LoRaWAN, LPWAN |
| | |

Product Compliance

For compliance documentation, visit the product page on TE.com>

ANT-8/9-IPW1-SMA

Whip Antenna, Dual Band, LPWAN / LoRaWAN, External Mount, Connector, SMA, Omnidirectional, Single Port, Gain 0 < 3 dBi



| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
|---|--|
| EU ELV Directive 2000/53/EC | Not Yet Reviewed |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (2.82% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| Solder Process Capability | Not reviewed for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts




Customers Also Bought

ANT-8/9-IPW1-SMA

Whip Antenna, Dual Band, LPWAN / LoRaWAN, External Mount, Connector, SMA, Omnidirectional, Single Port, Gain 0 < 3 dBi







TE Part #CONSMA018-4-G SMA Jack 50 Ohm Panel Mount



TE Part #CSD-SMAM-610-NM SMA to SMA 610mm RG58

Documents

Product Drawings Antenna Hinged Whip IP67 8/9 LPWA SMA

English

Datasheets & Catalog Pages 868/915 MHz LPWA Weatherproof Antenna

English