ANT-8/9-SPNF2 - ACTIVE

TE Internal #: L9000142-01 Dome/Puck Antenna, Dual Band, LoRaWAN / LPWAN, External Mount, Panel, N-type, Omnidirectional, Single Port, Gain 3 < 6 dBi View on TE.com >



Antennas



Wireless Application: LoRaWAN, LPWAN, Wi-Fi

Mounting Location: External

Mounting Type: Panel

Antenna Termination: N-type

Antenna Type: Dome/Puck

Features

Product Type Features

Antenna Termination N-type **Configuration Features** Antenna Style Dome

Mounting Location

Extornal

Antenna TypeDome/PuckBand TypeDual BandPort ConfigurationSingle PortPort ConfigurationSingle PortElectrical Characteristics<1.7:1VSWR (Max)<1.7:1ImpedanceS0 QSignal CharacteristicsSignal CharacteristicsFrequency Band868 MHzNominal Frequency Range698 – 2700Peak Gain3 < 6 dBiProduct Weight118 g[4.16225 oz]Mechanical Attachment	Mounting Location	External
Port ConfigurationSingle PortFlectrical Characteristics<1.7:1	Antenna Type	Dome/Puck
Electrical CharacteristicsVSWR (Max)<1.7:1	Band Type	Dual Band
VSWR (Max)<1.7:1	Port Configuration	Single Port
Impedance50 ΩSignal Characteristics3.3 dBGain (Max)3.3 dBFrequency Band868 MHzNominal Frequency Range698 – 2700Peak Gain3 < 6 dBi	Electrical Characteristics	
Signal CharacteristicsGain (Max)3.3 dBFrequency Band868 MHzNominal Frequency Range698 - 2700Peak Gain3 < 6 dBi	VSWR (Max)	<1.7:1
Gain (Max)3.3 dBFrequency Band868 MHzNominal Frequency Range698 – 2700Peak Gain3 < 6 dBi	Impedance	50 Ω
Frequency Band868 MHzNominal Frequency Range698 – 2700Peak Gain3 < 6 dBi	Signal Characteristics	
Nominal Frequency Range698 – 2700Peak Gain3 < 6 dBi	Gain (Max)	3.3 dB
Peak Gain3 < 6 dBiBody Features118 g[4.16225 oz]	Frequency Band	868 MHz
Body Features Product Weight 118 g[4.16225 oz]	Nominal Frequency Range	698 – 2700
Product Weight 118 g[4.16225 oz]	Peak Gain	3 < 6 dBi
	Body Features	
Mechanical Attachment	Product Weight	118 g[4.16225 oz]
	Mechanical Attachment	

C For support call+1 800 522 6752

09/20/2023 10:32AM | Page 1

ANT-8/9-SPNF2

Dome/Puck Antenna, Dual Band, LoRaWAN / LPWAN, External Mount, Panel, Ntype, Omnidirectional, Single Port, Gain 3 < 6 dBi



Polarization	Linear
Mounting Type	Panel
Dimensions	
Product Width	42 mm[1.65 in]
Product Length	83.1 mm[3.27 in]
Product Height	0 mm[0 in]
Operation/Application	
Antenna Environment	Outdoor
Directionality	Omnidirectional
ndustry Standards	
Wireless Application	LoRaWAN, LPWAN, Wi-Fi
Primary Application	LoRaWAN, LPWAN
Product Compliance	
For compliance documentation, visit the product page on TE.com>	

EU RoHS Directive 2011/65/EU

EU ELV Directive 2000/53/EC

Compliant with Exemptions

Not Yet Reviewed

China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An


ANT-8/9-SPNF2

Dome/Puck Antenna, Dual Band, LoRaWAN / LPWAN, External Mount, Panel, Ntype, Omnidirectional, Single Port, Gain 3 < 6 dBi



Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



Customers Also Bought



ANT-8/9-SPNF2

Dome/Puck Antenna, Dual Band, LoRaWAN / LPWAN, External Mount, Panel, Ntype, Omnidirectional, Single Port, Gain 3 < 6 dBi





Documents

Product Drawings Antenna 868/915 LPWA Dome IP67 N Jack

English

Datasheets & Catalog Pages Panel Mount 868/915 MHz LPWA Antenna

English