

MEAS | MEAS M5200

TE Internal #: M5244-000005-01KPG TE Internal Description: PRESS XDCR M5244-000005-01KPG Compact Industrial Pressure Transducer View on TE.com >



Sensors > Pressure Sensors > Pressure Transducers > Compact Industrial Pressure Transducer



Pressure Transducer Sensor Type: Industrial Pressure Transducer Pressure Range: 0 – 1000 psi

Pressure Type: Gauge

Pressure Transducer Supply Voltage: 8 – 30 V

Output/Span: 1-5V

All Compact Industrial Pressure Transducer (12)

Features

Product Type Features

Pressure Transducer Sensor Type

Pressure Type

Industrial Pressure Transducer

Gauge

Configuration Features

Electrical Connection	Packard		
Pressure Port/Fitting	1/8 MNPT		
Electrical Characteristics			
Pressure Transducer Supply Voltage	8 – 30 V		
Dimensions			
Dimensions	24 x 24 x 82 mm[.94 x .94 x 3.23 in]		
Usage Conditions			
Pressure	68.94 bar[1000 psi]		
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]		
Operation/Application			
Proof Pressure Range	2X Rated		
Pressure Range	0 – 1000 psi		
Output/Span	1 – 5 V		

Pressure Accuracy



r ressure / recuracy	-0.2070130		
Other			
Sensor Options	Adhesive Label, No Snubber		
Product Compliance			
For compliance documentation, visit the product page on TE.com>			
EU RoHS Directive 2011/65/EU	Compliant with Exemptions		
EU ELV Directive 2000/53/EC	Out of Scope		
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold		
EU REACH Regulation (EC) No. 1907/2006	 Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: Dodecamethylcyclohexasiloxane (D6) (.85% in 736 RED GLUE) Aticle Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. 		

±0.25% FSO

Halogen Content

Solder Process Capability

Not reviewed for solder process capability

Not Yet Reviewed for halogen content

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



PRESS XDCR M5244-000005-01KPG



Also in the Series | MEAS M5200



Customers Also Bought



	= TE	ETE	=TE	
TE Part #1393194-9 T77S1D10-12	TE Part #2029185-1 CMNL SKT W/INDENTED SIDES	TE Part #U5244-000005-200PA PRESS XDCR U5244-000005-200PA	TE Part #2-2176342-6 CRGCQ 0805 15K 5%	



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_M5244-000005-01KPG_K.2d_dxf.zip

English

PRESS XDCR M5244-000005-01KPG



Customer View Model

ENG_CVM_CVM_M5244-000005-01KPG_K.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_M5244-000005-01KPG_K.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages M5200

English