

MEAS | MEAS M5200

TE Internal #: M5254-000002-020BG TE Internal Description: PRESS XDCR M5254-000002-020BG Compact Industrial Pressure Transducer View on TE.com >



Sensors > Pressure Sensors > Pressure Transducers > Compact Industrial Pressure Transducer



Pressure Transducer Sensor Type: Industrial Pressure Transducer

Pressure Range: 0 – 20 bar

Pressure Type: Gauge

Pressure Transducer Supply Voltage: 9-30 V

Output/Span: 4-20 mA

All Compact Industrial Pressure Transducer (12)

Features

Product Type Features

Pressure Transducer Sensor Type

Pressure Type

Industrial Pressure Transducer

Gauge

Configuration Features

Electrical Connection	Packard				
Pressure Port/Fitting	1/4 MBSPP				
Electrical Characteristics					
Pressure Transducer Supply Voltage	9 – 30 V				
Dimensions					
Dimensions	24 x 24 x 82 mm[.94 x .94 x 3.23 in]				
Usage Conditions					
Pressure	20 bar[290.07 psi]				
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]				
Operation/Application					
Proof Pressure Range	2X Rated				
Pressure Range	0 – 20 bar				
Output/Span	4 – 20 mA				



Pressure Accuracy

Other

Sensor Options

±0.25% FSO

Adhesive Label, No Snubber

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

EU ELV Directive 2000/53/EC

China RoHS 2 Directive MIIT Order No 32, 2016

EU REACH Regulation (EC) No. 1907/2006

Compliant with Exemptions Compliant with Exemptions Restricted Materials Above Threshold Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Decamethylcyclopentasiloxane (D5) (.12% in component) Dodecamethylcyclohexasiloxane (D6) (.26% in component) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

-

Not Yet Reviewed for halogen content

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

PRESS XDCR M5254-000002-020BG





Also in the Series | MEAS M5200



Pressure Transducers(12)

Customers Also Bought



			=TE
TE Part #292323-1 REC ASSY RIGHT ANGLE STACKED THRUHOLE US	TE Part #2-6437132-7 FSN-13.5A-12	TE Part #282812-5 TERMI-BLOK HEADER,ASSY 5P. 5	TE Part #6437158-7 FSN-1.75A



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_M5254-000002-020BG_K.2d_dxf.zip

English

PRESS XDCR M5254-000002-020BG



Customer View Model

ENG_CVM_CVM_M5254-000002-020BG_K.3d_igs.zip

English

Customer View Model ENG_CVM_CVM_M5254-000002-020BG_K.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages M5200

English