# NB-PTCO-153 - ACTIVE

## MEAS | MEAS PTF TE Internal #: NB-PTCO-153 TE Internal Description: Pt1000, 1.2x4.0, Class T, PTFM102T1G0 Pt1000 RTD Thin Film Element

#### View on TE.com >

Sensors > Temperature Sensors > RTD Sensors > RTD Sensor Elements > Pt1000 RTD Thin Film Element



RTD Element Type: Platinum Thin Film Temperature Element

Tolerance Class: Class T (AA) / F0.1

Element Package: Ceramic

Element Material: Platinum

Lead Wire Style: Ni/Au

All Pt1000 RTD Thin Film Element (26)

### Features

### Product Type Features

Wire/Cladding Type

Model Number

Ni/Au

PTFM102T1G0



| Model Number           | PTFM102T1G0                            |
|------------------------|--|
| RTD Element Type       | Platinum Thin Film Temperature Element |
| Element Material       | Platinum                               |
| Lead Wire Style        | Ni/Au                                  |
| Configuration Features |  |
| Connector Type         | Open Ends                              |
| Dimensions             |  |
| Height (Body)          | 1.1 mm[.043 in]                        |
| Wire Length            | 10 mm[.393 in]                         |
| Wire Diameter          | .2 mm[.007 in]                         |
| Length (Body)          | 4 mm[.157 in]                          |
| Width (Body)           | 1.2 mm[.047 in]                        |
| Usage Conditions       |  |
| Resistance (at T_ref)  | 1000 (0 °C) Ω                          |
| T_ref for Accuracy     | 0 °C                                   |
|                        |  |

**C** For support call+1 800 522 6752

NB-PTCO-153

Pt1000, 1.2x4.0, Class T, PTFM102T1G0



| Ambient Temperature Range   | -30 – 200 °C[-22 – 392 °F]           |
|---|--------------------------------------|
| T1 and T2 for TCR   | 0 and +100 °C                        |
| TCR at (T1 and T2)  | 3850 ppm/°C                          |
| Accuracy (at T_ref)   | ±.1 °C                               |
| T_ref for Resistance  | 0 °C                                 |
| Maximum Temperature   | 200 °C[392 °F]                       |
| Packaging Features  |                                      |
| Element Package   | Ceramic                              |
| Other   |                                      |
| Tolerance Class   | Class T (AA) / F0.1                  |
| Wire Count  | 2                                    |
| Product Compliance<br>For compliance documentation, visit the product page on TE.com> |                                      |
| EU RoHS Directive 2011/65/EU  | Compliant with Exemptions            |
| EU ELV Directive 2000/53/EC   | Not Yet Reviewed                     |
| China RoHS 2 Directive MIIT Order No 32, 2016   | Restricted Materials Above Threshold |
|   |                                      |

ELLREACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC

| LO REACT REGULATION (LC) NO. 170772000 |  |
|--|--|
|--|--|

Not Yet Reviewed for halogen content

Not reviewed for solder process capability

### Halogen Content

Solder Process Capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


## **Compatible Parts**

### Pt1000, 1.2x4.0, Class T, PTFM102T1G0






## Also in the Series | MEAS PTF



## Customers Also Bought



CPF 0402 115K 0.1% 25PPM 1K RL

Part #2229333-2 PUSH-PUSH MICRO SIM CONNECTOR SMT-2 TYPE TE Part #2337245-4 TACT MINI JB 5.2X5.2X2 260GF

Documents

**CAD** Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_NB-PTCO-153\_A.2d\_dxf.zip

English

NB-PTCO-153

Pt1000, 1.2x4.0, Class T, PTFM102T1G0



Customer View Model ENG\_CVM\_CVM\_NB-PTCO-153\_A.3d\_igs.zip

English

Customer View Model ENG\_CVM\_CVM\_NB-PTCO-153\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages Datasheet PTF-Family PTFC,PTFD,PTFF,PTFM

English