
NB13542001 ~ ACTIVE

RAYCHEM | RAYCHEM RNF-100

TE Internal #: NB13542001 Black, 2:1, Single Wall Tubing, Shrinks To .187 in [4.8 mm], Irradiated Modified Polyolefin, .375 in [9.5 mm] Inner Diameter, RAYCHEM RNF-100

View on TE.com >

Heat Shrink Tubing > RNF100-BK Heat shrink Tubing



Primary Product Color: Black

Wall Type: Single Wall

Expanded Inside Diameter (Min): 9.5 mm [.375 in]

Recovered Inside Diameter (Max): 4.8 mm [.187 in]

Shrink Ratio: 2:1

All RNF100-BK Heat shrink Tubing (81)

Features

Product Type Features

Wall Type



Single Wall

Electrical Characteristics

| Operating Voltage (Max) | .6 kV |
|--------------------------------------|--|
| Body Features | |
| Fluid Type | Gasoline, Hydraulic Fluid, Lubricating Oil, Water |
| Primary Product Color | Black |
| Shrink Ratio | 2:1 |
| Primary Product Material | Irradiated Modified Polyolefin |
| Flexibility | Flexible |
| Dimensions | |
| Recovered Wall Thickness (Tolerance) | .08 mm[.003 in] |
| Recovered Wall Thickness (Nominal) | .64 mm[.025 in] |
| Product Length | 1220 mm[48.03 in] |
| Expanded Inside Diameter (Min) | 9.5 mm[.375 in] |
| Recovered Inside Diameter (Max) | 4.8 mm[.187 in] |

NB13542001

Black, 2:1, Single Wall Tubing, Shrinks To .187 in [4.8 mm], Irradiated Modified Polyolefin, .375 in [9.5 mm] Inner Diameter, RAYCHEM RNF-100



| Tubing Size Range | 4.8 – 9.5 mm[.187 – .375 in] |
|-----------------------------------|---|
| Usage Conditions | |
| Shrink Temperature (Min) | 95 °C |
| Tubing Flammability Type | Flame-Retardant |
| Operating Temperature Range | -55 – 135 °C |
| Recovery Temperature | 121 °C |
| Operation/Application | |
| Mechanical Resistance | Abrasion, Fluids, Mechanical Damage, Strain Relief |
| Product Availability | |
| Applicable Region | Global |
| Packaging Features | |
| Packaging Method | Bag & Box |
| Other | |
| Meets Low Outgassing Requirements | No |
| Product Source | Czech Republic |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part

NB13542001

Black, 2:1, Single Wall Tubing, Shrinks To .187 in [4.8 mm], Irradiated Modified Polyolefin, .375 in [9.5 mm] Inner Diameter, RAYCHEM RNF-100




numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




TE Part # EG1114-000 CV1981-ST-230V1600W-EU

Also in the Series | RAYCHEM RNF-100



Customers Also Bought



NB13542001

Black, 2:1, Single Wall Tubing, Shrinks To .187 in [4.8 mm], Irradiated Modified Polyolefin, .375 in [9.5 mm] Inner Diameter, RAYCHEM RNF-100



TE Part #42412-5 STRAIN RELIEF WING TYPE TERMINAL AL

Documents

Product Drawings RNF-100-3/8-BK-STK

English

Datasheets & Catalog Pages RNF-100 Pages from 9-1773447-9

English

Product Specifications Application Specification

English