T1750242129-000 - ACTIVE

HDC | HDC IP65 TE Internal #: T1750242129-000 Heavy Duty Connector Base Housing, Top & Side Entry, Locking Clip, Sealable, HDC IP65

View on TE.com >



Connectors > Rectangular Connectors > Rectangular Connector Hoods & Bases



Hood & Base Connector Product Type: Base Housing

Cable Entry Location: Top & Side

Hood & Base Locking Device Type: Locking Clip

Sealable: Yes

Circuit Application: Power & Signal

Features

Product Type Features

Hood & Base Connector Product Type	Base Housing								
Sealable	Yes								
Body Features									
Cable Entry Location	Top & Side								
Mechanical Attachment									
Thread Size	PG29								
Hood & Base Locking Device Type	Locking Clip								
Housing Features									
Housing Material	Die Cast Aluminum								
Usage Conditions									
Corrosion Protected	Yes								
Operation/Application									
Circuit Application	Power & Signal								

T1750242129-000

Heavy Duty Connector Base Housing, Top & Side Entry, Locking Clip, Sealable, HDC IP65



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions			
EU ELV Directive 2000/53/EC	Compliant with Exemptions			
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold			
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (.35% in Component Part) Aticle Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.			
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free			
Solder Process Capability	Not reviewed for solder process capability			

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Also in the Series | HDC IP65

T1750242129-000

Heavy Duty Connector Base Housing, Top & Side Entry, Locking Clip, Sealable, HDC IP65





Customers Also Bought



	TE T UTC 11 TSNAT7505012500	TE T art 1117 5000000 000	
CODING-PIN-M3	M4/6.4A.P	H6B-TBF-T	ZGG-10DSTK,1-7,2-8,3-9,4-6,5-10
and the second second			



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_T1750242129-000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_T1750242129-000_A.3d_igs.zip

T1750242129-000

Heavy Duty Connector Base Housing, Top & Side Entry, Locking Clip, Sealable, HDC IP65



English

Customer View Model ENG_CVM_CVM_T1750242129-000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages HEAVY DUTY CONNECTORS

English

Product Specifications Application Specification

English