T2040011040-000 <

HDC | HDC MM

TE Internal #: T2040011040-000 Connector Contacts, Pin, Gold, Gold, 12 AWG Wire Size, 4 mm² Wire Size, Crimp, Copper Alloy, Wire & Cable, Power & Signal, HDC MM

View on TE.com >



Connectors > Rectangular Connectors > Connector Contacts



Contact Type: Pin

Contact Mating Area Plating Material: Gold

Wire Contact Termination Area Plating Material: Gold

Wire Size: 4 mm²

Features

Product Type Features

Discrete Wire Type	Solid or Stranded
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Contact Features

Contact Mating Area Plating Material Finish	Bright							
Contact Underplating Material	Copper							
Contact Type	Pin							
Contact Mating Area Plating Material	Gold							
Wire Contact Termination Area Plating Material	Gold							
Contact Base Material	Copper Alloy							
Contact Current Rating (Max)	40 A							
Termination Features								
Termination Method to Wire & Cable	Crimp							
Dimensions								
Wire Size	4 mm ²							
Operation/Application								
Compatible With Wire Base Material	Copper							
Circuit Application	Power & Signal							

T2040011040-000

Connector Contacts, Pin, Gold, Gold, 12 AWG Wire Size, 4 mm² Wire Size, Crimp, Copper Alloy, Wire & Cable, Power & Signal, HDC MM



Product Compliance For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions			
EU ELV Directive 2000/53/EC	Compliant with Exemptions			
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold			
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Pb (3.7% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.			
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free			
Solder Process Capability	Not reviewed for solder process capability			

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Also in the Series | HDC MM

T2040011040-000

Connector Contacts, Pin, Gold, Gold, 12 AWG Wire Size, 4 mm² Wire Size, Crimp, Copper Alloy, Wire & Cable, Power & Signal, HDC MM





Customers Also Bought



H10BPR-TSHC-M32	BK14,12-14	H6BPR-AGC	SKT3-8SC

Documents

Product Drawings

DMM-4.0

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_T2040011040-000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_T2040011040-000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_T2040011040-000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

T2040011040-000

Connector Contacts, Pin, Gold, Gold, 12 AWG Wire Size, 4 mm² Wire Size, Crimp, Copper Alloy, Wire & Cable, Power & Signal, HDC MM



Datasheets & Catalog Pages HEAVY DUTY CONNECTORS

English

Product Specifications Application Specification

English