
# T2196501150-001 <

TE Internal #: T2196501150-001 Connector Contacts, Pin, Silver, Silver, Holder Contact Retention, Size Size 20, Discrete Wire, 150 mm<sup>2</sup> Wire Size, 296029 CMA Wire Size, Crimp, Copper

#### View on TE.com >



Connectors > Rectangular Connectors > Connector Contacts



Contact Type: Pin

Contact Mating Area Plating Material: Silver

Wire Contact Termination Area Plating Material: Silver

Contact Retention Type Within Housing: Holder

Contact Size: Size 20

# Features

# Product Type Features

Discrete Wire Type	Solid or Stranded
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Compatible With Wire & Cable Type	Discrete Wire
Electrical Characteristics	
Contact Resistance	1 mΩ
Contact Features	
Contact Mating Area Plating Material Finish	Bright
Contact Type	Pin
Contact Mating Area Plating Material	Silver
Wire Contact Termination Area Plating Material	Silver
Contact Size	Size 20
Contact Base Material	Copper
Contact Current Rating (Max)	450 A

### T2196501150-001

Connector Contacts, Pin, Silver, Silver, Holder Contact Retention, Size Size 20, Discrete Wire, 150 mm<sup>2</sup> Wire Size, 296029 CMA Wire Size, Crimp, Copper



#### **Termination Features**

Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Contact Retention Type Within Housing	Holder
Dimensions	
Wire Size	296029 CMA
Usage Conditions	
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Circuit Application	Power
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

China RoHS 2 Directive MIIT Order No 32, 2016

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## T2196501150-001

Connector Contacts, Pin, Silver, Silver, Holder Contact Retention, Size Size 20, Discrete Wire, 150 mm<sup>2</sup> Wire Size, 296029 CMA Wire Size, Crimp, Copper





# Compatible Parts

# Customers Also Bought







# Documents

# **Product Drawings**

HCM650-MC-150

English

# **CAD** Files

#### 3D PDF

### 3D

**Customer View Model** ENG\_CVM\_CVM\_T2196501150-001\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_T2196501150-001\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_T2196501150-001\_A.3d\_stp.zip

### T2196501150-001

Connector Contacts, Pin, Silver, Silver, Holder Contact Retention, Size Size 20, Discrete Wire, 150 mm<sup>2</sup> Wire Size, 296029 CMA Wire Size, Crimp, Copper



English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages HEAVY DUTY CONNECTORS

English

Product Specifications Application Specification

English

Product Environmental Compliance Product Compliance

English

Product Compliance

English