

DEUTSCH | DEUTSCH DRB

TE Internal #: WB-60SA

Automotive Connector Locks & Position Assurance, Secondary Lock, Gray, PBT, 60 Position, -55 – 125 °C [-67 – 257 °F], DEUTSCH DRB

View on TE.com >



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Locks & Position Assurance > DEUTSCH DRB Wedgelocks











Connector & Contact Retention Accessory Type: Secondary Lock

Primary Product Color: **Gray**Primary Product Material: **PBT**Number of Positions: **60**

Sealable: No

All DEUTSCH DRB Wedgelocks (20)

Features

Product Type Features

Froduct Type reatures	
Connector & Contact Retention Accessory Type	Secondary Lock
Sealable	No
Configuration Features	
Number of Positions	60
Body Features	
Primary Product Color	Gray
Primary Product Material	PBT
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

UL 94HB

Industry Standards

UL Flammability Rating



Packaging Features

Packaging Quantity	216	
Packaging Method	Box	
Other		
Serviceable	Yes	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series | DEUTSCH DRB



Automotive Connector Caps & Covers
(1)



Automotive Connector Locks & Position Assurance(20)



Automotive Housings(19)



Connector Strain Relief(1)



Insertion & Extraction Tools(1)



Other Automotive Connector Accessories(6)

Customers Also Bought



TE Part #HDP26-24-9SE

DEUTSCH HDP20 Housings



TE Part #WB-51PAR
WEDGE LOCK, 102P, REC, GRY, RT,
DRB, A



TE Part #61971-1 110 FASTON FLAG REC 22-18 AWG TPBR







/8.5/10



Documents

Product Drawings

WEDGE LOCK, 60P, PLG, GRY, DRB, A

English

CAD Files

Customer View Model

ENG_CVM_CVM_WB-60SA_99.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_WB-60SA_99.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_WB-60SA_99.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

ICT Terminals and Connectors Catalogue

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English

Agency Approvals

UL Report

English