# CIRPSE06T2214SV0N × OBSOLETE



CIR

TE Internal #: Y5015-00000005391

TE Internal Description: FREE SOCKET CONNECTOR

Plug with RFI Grounding - Female - CIRP

View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors > Plug with RFI Grounding - Female - CIRP



Connector System: Cable-to-Cable, Wire-to-Wire

Number of Positions: 19

Connector & Contact Terminates To: Wire & Cable

Circuit Application: Power & Signal

Reverse Gender: Yes

#### **Features**

### **Product Type Features**

Product Type	Connector Assembly
Accessory Color	Black
Prewired	No
Connector System	Cable-to-Cable, Wire-to-Wire
Connector & Contact Terminates To	Wire & Cable
Circular Connector Type	Receptacle
Shell Type	Metal

#### **Configuration Features**

Factory Installed Backshell	Without
Number of Positions	19
Contacts Preloaded	No

#### **Electrical Characteristics**

Operating Voltage	700 VAC
-------------------	---------

#### **Body Features**

Shell Plating Material	Black Chromate Over Zn Cobalt
Shell Base Material	Aluminum Alloy
Circular Connector Insulation Material Type	Low Fire Hazard Thermoplastic

#### **Contact Features**



Reverse Gender	Yes
Contact Layout Arrangement	Circular
Circular Connector Contact Type	Socket
Mechanical Attachment	
Mating Retention Type	Bayonet
Mating Alignment	With
Mating Alignment Type	Keyed
Mating Retention	With
Housing Features	
Circular Connector Shell Size	22
Usage Conditions	
Usage Conditions  IP Water Sealing Level	IP67
	IP67 -55 – 125 °C[-67 – 257 °F]
IP Water Sealing Level	
IP Water Sealing Level Operating Temperature Range	
IP Water Sealing Level Operating Temperature Range Operation/Application	-55 – 125 °C[-67 – 257 °F]
IP Water Sealing Level Operating Temperature Range Operation/Application Circuit Application	-55 – 125 °C[-67 – 257 °F]  Power & Signal
IP Water Sealing Level Operating Temperature Range Operation/Application Circuit Application Shielded	-55 – 125 °C[-67 – 257 °F]  Power & Signal
IP Water Sealing Level Operating Temperature Range Operation/Application Circuit Application Shielded Packaging Features	-55 – 125 °C[-67 – 257 °F]  Power & Signal  Yes
IP Water Sealing Level Operating Temperature Range Operation/Application Circuit Application Shielded Packaging Features Packaging Quantity	-55 – 125 °C[-67 – 257 °F]  Power & Signal  Yes

# **Product Compliance**

Field Serviceable

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2021 (211) SVHC > Threshold: Pb (.15% in Aluminium alloy component) Article Safe Usage Statements:

Yes



Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Not Yet Reviewed for halogen content

Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Also in the Series

# Customers Also Bought





TE Part #59824-1 TETRA-CRIMP PIDG PG FASTON 22-10 ASSY



TE Part #DT04-12PB-BL04
REC, 12P, BLK, N, ENH KEY, FLANGE,
B

















## Documents

Product Drawings

FREE SOCKET CONNECTOR

French

Datasheets & Catalog Pages

CIRP Catalog

CIRP Catalog

English

**Product Specifications** 

**Application Specification** 

French