## DMC-M 12-20 AN VACTIVE



#### **DEUTSCH**

TE Internal #: ZPF00000000015254

Rectangular Contact Inserts, Insert for Contacts, Pin, 12 Pole Configuration, Crimp, Wire-to-Wire, 12 Position, Sealable, 24 – 20

AWG Wire Size

View on TE.com >



Connectors > Rectangular Connectors > Rectangular Contact Inserts



Rectangular Connector Insert Type: Insert for Contacts

Contact Type: Pin

Pole Configuration: 12

Termination Method to Wire & Cable: Crimp

Connector System: Wire-to-Wire

### **Features**

#### Product Type Features

Product Type Features	
Rectangular Connector Insert Type	Insert for Contacts
Connector System	Wire-to-Wire
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	12
Body Features	
Primary Product Material	Composite
Contact Features	
Contact Type	Pin
Pole Configuration	12
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	

Cable Mount (Free-Hanging)

3.38 mm[.13 in]

Connector Mounting Type

**Housing Features** 

Centerline (Pitch)



Dimensions	
Wire Size	.25 – .5 mm²
Usage Conditions	
Operating Temperature Range	-55 – 175 °C[-67 – 347 °F]
Operation/Application	
Circuit Application	Power, Signal & High Speed Data
Packaging Features	
Packaging Quantity	1
Packaging Method	Package

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.



# Compatible Parts







## Customers Also Bought



TE Part #2199230-8 M.2 0.5PITCH 4.2H KEY A 15U" AU



TE Part #ZPF00000000100857 Rectangular Connector Receptacles, Tool-less Assembly



DMC-MD 26 N





TE Part #ZPF00000000015299 DMC-M 20-22 BN



TE Part #ZPF00000000017892 FAST-E 07 F-X-A 00 A

TE Part #ZPF00000000101626 787-0016-00

TE Part #207885-3 UNIV GROMM PROTECTOR

TE Part #2828405-1 ASSY SKT MODULE, 16-02 PCB STRAIGHT, STD

### **Documents**

**Product Drawings DMC-M 12-20 AN** 

English

**CAD Files** 

3D PDF

3D

Rectangular Contact Inserts, Insert for Contacts, Pin, 12 Pole Configuration, Crimp, Wire-to-Wire, 12 Position, Sealable, 24 – 20 AWG Wire Size



**Customer View Model** 

ENG\_CVM\_CVM\_ZPF00000000015254\_1.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_ZPF00000000015254\_1.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_ZPF00000000015254\_1.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

DMC-M Series Single Module EN4165

English