

DEUTSCH

TE Internal #: ZPF00000000099564 Rectangular Contact Inserts, Contact Insert, Pin, Wire-to-Board, 11 Position, Sealable, 13 A, Power, Signal & High Speed Data View on TE.com >

Connectors > Rectangular Connectors > Rectangular Contact Inserts



Rectangular Connector Insert Type: Contact Insert

Contact Type: Pin

Connector System: Wire-to-Board

Number of Positions: 11

Centerline (Pitch): 2.62 mm, 4.4 mm [.103 in, .173 in]

Features

Product Type Features

Rectangular Connector Insert TypeContact InsertConnector SystemWire-to-BoardSealableYes



Printed Circuit Board

Configuration Features

Number of Positions	11
Body Features	
Primary Product Material	Composite
Contact Features	
Contact Type	Pin
Contact Current Rating (Max)	13 A
Mechanical Attachment	
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	2.62 mm, 4.4 mm[.103 in][.173 in]
Usage Conditions	
Operating Temperature Range	-55 – 175 °C[-67 – 347 °F]

732-8254-99

Rectangular Contact Inserts, Contact Insert, Pin, Wire-to-Board, 11 Position, Sealable, 13 A, Power, Signal & High Speed Data



Operation/Application

Circuit Application	Power, Signal & High Speed Data	
Packaging Features		
Packaging Quantity	1	
Packaging Method	Bag	
Product Compliance		
For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant with Exemptions	
EU ELV Directive 2000/53/EC	Out of Scope	
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235)	
	Candidate List Declared Against: JUNE	
	2023 (235) SVHC > Threshold:	
	Pb (1.2% in alloy) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

732-8254-99

Rectangular Contact Inserts, Contact Insert, Pin, Wire-to-Board, 11 Position, Sealable, 13 A, Power, Signal & High Speed Data





Customers Also Bought



TERMINAL, SOLIS R 16-14 4	CONT SOC ASSY	732-8256-20	983-6SE 20-25 PN	
TE Part #YCTM-22C0150000000 JUNCTION ASSY				
Documents				
Product Drawings				
732-8254-99				
English				
спулят				
CAD Files				
CAD FILES				

3D PDF

3D

Customer View Model

ENG_CVM_CVM_ZPF0000000099564_1.2d_dxf.zip

732-8254-99

Rectangular Contact Inserts, Contact Insert, Pin, Wire-to-Board, 11 Position, Sealable, 13 A, Power, Signal & High Speed Data



English

Customer View Model ENG_CVM_CVM_ZPF0000000099564_1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_ZPF0000000099564_1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages DEUTSCH DMC-M Series Multicavity EN4165 Connectors

English

DMC-M Series Single Module EN4165

English