

#### **DEUTSCH**

TE Internal #: ZPF00000000100855

Standard Rectangular Connectors, Housing, Plug, Mating

Alignment, Keyed Mating Alignment Type, Mating Retention,

Shielded, Normal, 1 Position, 1 Row

View on TE.com >



Connectors > Rectangular Connectors > Standard Rectangular Connectors > Rectangular Connector Plugs, Tool-less Assembly



Connector Product Type: Housing
Connector & Housing Type: Plug

Mating Alignment: With

Mating Alignment Type: Keyed

Mating Retention: With

All Rectangular Connector Plugs, Tool-less Assembly (8)

### **Features**

### **Product Type Features**

Connector Product Type	Housing
Connector & Housing Type	Plug
Insertion Force Type	Normal
Sealable	Yes
Configuration Features	
Contacts Preloaded	No
Number of Positions	1
Number of Rows	1
Electrical Characteristics	
Operating Voltage	125 VAC
Body Features	
Connector & Keying Code	D
Mechanical Attachment	

With

Keyed

Mating Alignment

Mating Alignment Type



Mating Retention	With
Mating Retention Type	Locking Latch
Housing Features	
Housing Material	Composite
Usage Conditions	
Operating Temperature Range	-65 – 175 °C[-85 – 347 °F]
Operation/Application	
Shielded	Yes

Power & Signal

## **Product Compliance**

Circuit Application

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.



# Compatible Parts




# Customers Also Bought











TE Part #7-1415899-1 RZ03-1C4-D024-000C



TE Part #ZPF00000000015306 DMC-M 20-22 PN



732-8255-16





TE Part #ZPF000000000007823 983-0Y 14-15 PN



TE Part #2226455-1 SOCKET INSERT, 16-02 CABLE APPLIED

## **Documents**

Product Drawings
DMC-MD 20 D

English

**CAD Files** 

3D PDF

3D

Standard Rectangular Connectors, Housing, Plug, Mating Alignment, Keyed Mating Alignment Type, Mating Retention, Shielded, Normal, 1 Position, 1 Row



**Customer View Model** 

ENG\_CVM\_CVM\_ZPF00000000100855\_1.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_ZPF00000000100855\_1.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_ZPF00000000100855\_1.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

DMC-M Series Single Module EN4165

English