

DEUTSCH

TE Internal #: ZPF00000000107607 Standard Rectangular Connectors, Housing Kit, Receptacle, Mating Alignment, Keyed Mating Alignment Type, Mating Retention, Shielded, Normal

View on TE.com >

Connectors > Rectangular Connectors > Standard Rectangular Connectors > Rectangular Connector Receptacles, Tool-less Assembly



Connector Product Type: Housing Kit Connector & Housing Type: Receptacle Mating Alignment: With Mating Alignment Type: Keyed

Mating Retention: With

All Rectangular Connector Receptacles, Tool-less Assembly (30)



Features

Product Type Features

Connector Product Type	Housing Kit
Connector & Housing Type	Receptacle
Insertion Force Type	Normal
Sealable	Yes
Configuration Features	
Number of Positions	1
Number of Rows	1
Electrical Characteristics	
Operating Voltage	125 VAC
Body Features	
Seal Type	Panel Gasket
Connector & Keying Code	A

DMC-MD 24 A-K-S-T

Standard Rectangular Connectors, Housing Kit, Receptacle, Mating Alignment, Keyed Mating Alignment Type, Mating Retention, Shielded, Normal



Mechanical Attachment

Mating Alignment	With
Mating Alignment Type	Keyed
Mating Retention	With
Mating Retention Type	Locking Latch
Connector Mounting Type	Panel Mount
Housing Features	
Housing Material	Composite
Usage Conditions	
Operating Temperature Range	-65 – 175 °C[-85 – 347 °F]
Operation/Application	
Shielded	Yes
Circuit Application	Power & Signal
Product Compliance	

Froduct Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for


DMC-MD 24 A-K-S-T

Standard Rectangular Connectors, Housing Kit, Receptacle, Mating Alignment, Keyed Mating Alignment Type, Mating Retention, Shielded, Normal



substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Customers Also Bought





Documents

Product Drawings DMC-MD 24 A-K-S-T

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_ZPF00000000107607_1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_ZPF00000000107607_1.3d_igs.zip

C For support call+1 800 522 6752

DMC-MD 24 A-K-S-T

Standard Rectangular Connectors, Housing Kit, Receptacle, Mating Alignment, Keyed Mating Alignment Type, Mating Retention, Shielded, Normal



English

Customer View Model ENG_CVM_CVM_ZPF00000000107607_1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the $\ensuremath{\text{Terms}}\xspace$ and $\ensuremath{\text{Conditions}}\xspace$ of use.

Datasheets & Catalog Pages DMC-M Series Single Module EN4165

English